

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA128271

Product Info

Date of Certification	November 29, 2023
Company	Zebra Technologies
Product Name	MC9400
Product Model Variant	2023-11-29
Model Number	MC9400
Category	Phones
Sub-category	Smartphone

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Network management	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2022-12 WPA3 [™] -Personal 2022-06 Wi-Fi Enhanced Open [™] 2021-01
Wi-Fi (MAC/PHY)	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Spectrum & Regulatory Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

This certificate was downloaded on **2025-05-09** at **03:52:03** UTC Wi-Fi[®], Wi-Fi CERTIFIED[®], Wi-Fi Alliance[®], the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter[™] is a trademark of the Connectivity Standards Alliance.



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128271



Role: Station

Wi-Fi Component Operating SystemRF ArchitectureAndroid 13Bands SupportedTransmit (Tx)Receive (Rx)Wi-Fi Component Firmware 1.1.5.0.177.52.4 GHz225 GHz2226 GHz222	Wi-Fi Components			
Wi-Fi Component Firmware 1.1.5.0.177.5Bands SupportedTransmit (Tx)Receive (Rx)2.4 GHz225 GHz22	Wi-Fi Component Operating System	RF Architecture		
1.1.5.0.177.5 2.4 GHz 2 2 5 GHz 2 2	Android 13	Bands Supported	Transmit (Tx)	Receive (Rx)
5 GHz 2 2		2.4 GHz	2	2
6 GHz 2 2		5 GHz	2	2
		6 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities	Spectrum & Regulatory (continued)
20 MHz Channel Width in 2.4 GHz	802.11h
5 GHz Spectrum Capabilities	WMM®
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	WPA2 [™] -Enterprise 2018-04 EAP methods EAP TLS
6 GHz Spectrum Capabilities	EAP TTLS PEAPv0 PEAPv1
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz	WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12
Protected Management Frames	EAP methods EAP TLS EAP TTLS
Spectrum & Regulatory 802.11d	PEAPv0 PEAPv1 192-bit security

This certificate was downloaded on 2025-05-09 at 03:52:03 UTC

Wi-Fi[®], Wi-Fi CERTIFIED[®], Wi-Fi Alliance[®], the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128271



Role: Station

WPA3[™]-Enterprise 2022-12 (continued)

192-bit security RSA 3K with the TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite

Fast Transition OTA on WPA3-Enterprise Fast Transition OTA on WPA3-Enterprise transition mode Fast Transition OTDS on WPA3-Enterprise Server Certificate Validation

WPA3[™]-Personal 2022-06

Fast Transition OTA on WPA3-Personal Fast Transition OTA on WPA3-Personal transition mode Fast Transition OTDS on WPA3-Personal SAE-Public Key Operating Channel Validation

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report Beacon Report Measurement Active Mode Beacon Report Measurement Passive Mode BTM Query Cellular Data capable Fast Transition OTA on WPA2-Personal Fast Transition OTA on WPA2-Enterprise

Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU Beamforming sounding BSRP Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO

Page 3 of 4

Wi-Fi CERTIFIED 6® Release 2 (continued)

HE NDP LDPC Tx LDPC Rx Individual Target Wake Time MCS 10-11 Rx MCS 10-11 Tx MCS 8-9 Rx MCS 8-9 Tx MU EDCA Parameter Set element **MU-BAR** Trigger frame **MU-RTS** Trigger frame M-BSSID Operating mode control field Operating mode subfield in A-Control field Operating mode indication SU beamformee SU-MIMO **UL OFDMA** Wi-Fi 6E Multiple M-BSSID Wi-Fi 6 Release 2 features UL MU-MIMO UL MU Control Target Wake Time information frames Broadcast Target Wake Time M-BSSID control frames

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support RTS with BW Signaling A-MPDU with A-MSDU DL MU-MIMO

This certificate was downloaded on 2025-05-09 at 03:52:03 UTC

Wi-Fi[®], Wi-Fi CERTIFIED[®], Wi-Fi Alliance[®], the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter[™] is a trademark of the Connectivity Standards Alliance.



Wi-Fi CERTIFIED[™] Certificate

Certification ID: WFA128271



ole: Station	Page 4
Wi-Fi CERTIFIED™ ac (continued)	
LDPC Rx	
MCS 8-9 Rx Short Guard Interval	
STBC LDPC Tx	
SU beamformee	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx	
OBSS on Extension Channel Short Guard Interval	
STBC	
Wi-Fi Enhanced Open™ 2021-01	