



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

### **Certification ID: WFA129188**

#### **Product Info**

**Date of Certification** December 8, 2023

Company Hewlett Packard Enterprise

Product Name AP-679

**Product Model Variant** AP-679

Model Number 679

**Category** Routers

**Sub-category** Enterprise/Service Provider Access Point, Switch/Controller or Router

#### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Applications & Services** Wi-Fi Location™ R1

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2021-01

**Optimization** WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2022-06

WPA™-Enterprise





**Certification ID: WFA129188** 

Summary of Certifications (continued)		Page 2 of 4	
CLASSIFICATION	CERTIFICATION		
Security	WPA™-Personal		







Role: Access Point	P	age 3 of 4	
Wi-Fi Components Wi-Fi Component Operating System	RF Architecture		
Proprietary / Other, description:Aruba OS	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware AOS 8	2.4 GHz	2	2
7.000	5 GHz	2	2
	6 GHz	2	2
Certifications			
2.4 GHz Spectrum Capabilities	WMM®-Power Save (continued)		
20 MHz Channel Width in 2.4 GHz	Unschedule auto PS		
5 GHz Spectrum Capabilities	WPA2™-Enterpris	se 2018-04	
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	EAP methods		
80 MHz Channel Width in 5 GHz	WPA2™-Personal 2021-01		
6 GHz Spectrum Capabilities	WPA3™-Enterprise 2022-12		
20 MHz Channel Width in 6 GHz	EAP methods		
40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	192-bit security		
	WPA3™-Personal	2022-06	
Protected Management Frames	WPA™-Enterprise	,	
WMM®	WPA™-Personal		
WMM®-Power Save		o so al TM	
Legacy Power Save	Wi-Fi Agile Multib	апо ''' —	







Role: Access Point Page 4 of 4

Wi-Fi Agile Multiband™ (continued)

Automatically populate BSS Transition candidate list

Fast Transition OTA on WPA2-Enterprise

Fast Transition OTA on WPA2-Personal

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU-RTS Trigger frame

M-BSSID

Operating Mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

**UL OFDMA** 

Wi-Fi 6E

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

LDPC Rx

Wi-Fi CERTIFIED™ ac (continued)

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

Short Guard Interval

STBC

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi Location™ R1

Fine Timing Measurement 2017