



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

**Certification ID: WFA129250** 

# **Product Info**

**Date of Certification** January 19, 2024

**Company** Grandstream Networks, Inc.

Product Name Long-Range Enterprise Wi-Fi 6 Access Point

Product Model Variant GWN7660ELR

Model Number GWN7660ELR

**Category** Routers

**Sub-category** Enterprise/Service Provider Access Point, Switch/Controller or Router

# **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

**Optimization** WMM®

Wi-Fi Agile Multiband™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2022-06

WPA™-Enterprise WPA™-Personal





**Certification ID: WFA129250** 

Summary	of Cer	tificatio	ns (con	tinued)
- Garring y		unioauo		

Page 2 of 4

**CLASSIFICATION** 

**CERTIFICATION** 

Spectrum & Regulatory

Spectrum & Regulatory

**Features** 





**Certification ID: WFA129250** 

Role: Access Point	Page 3 of 4

#### Wi-Fi Components

**Wi-Fi Component Operating System** 

Linux 5.4.164

Wi-Fi Component Firmware

0.4.11.4(init)

#### **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

#### **Certifications**

#### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

#### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz

#### Passpoint® Release 3

Roaming Consortium Selection Terms and Conditions Venue Information

# **Protected Management Frames**

# **Spectrum & Regulatory**

802.11d 802.11h

#### $\mathbf{WMM} \\ \mathbb{B}$

#### WPA2™-Enterprise 2018-04

EAP methods

#### WPA2™-Personal 2021-01

### WPA3™-Enterprise 2022-12

EAP methods 192-bit security

### WPA3™-Personal 2022-06

**WPA™-Enterprise** 

# **WPA™-Personal**

# Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list Cellular Data aware

### Wi-Fi CERTIFIED 6®





**Certification ID: WFA129250** 

Role: Access Point Page 4 of 4

#### Wi-Fi CERTIFIED 6® (continued)

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating Mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

**UL OFDMA** 

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

# Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS on Extension Channel** 

Short Guard Interval

STBC