



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA128049

Product Info

Date of Certification December 15, 2023

Company Alcatel-Lucent Enterprise dba ALE USA Inc.

Product Name OmniAccess Stellar

Product Model Variant Add 160M

Model Number OAW-AP1431

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2022-06

WPA™-Enterprise





Certification ID: WFA128049

Summary of Certifications (continued)

Page 2 of 4

CLASSIFICATION

CERTIFICATION

Security

WPA™-Personal

Spectrum & Regulatory

Spectrum & Regulatory

Features







ole: Access Point		Page 3 of 4	
Wi-Fi Components			
Wi-Fi Component Operating System Linux4.4 Wi-Fi Component Firmware SPF.11.4	RF Architecture		
	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	4	4
	5 GHz	8	8
	6 GHz	4	4
Certifications			
2.4 GHz Spectrum Capabilities	Protected Management Frames		
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	Spectrum & Regulatory		
	802.11d		
5 GHz Spectrum Capabilities	802.11h		
20 MHz Channel Width in 5 GHz	WMM®		
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	WMM®-Power Sav	/e	
6 GHz Spectrum Capabilities	Unschedule auto PS		
20 MHz Channel Width in 6 GHz	WPA2™-Enterpris	se 2018-04	
40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	EAP methods		
160 MHz Channel Width in 6 GHz			
Passpoint® Release 3	WPA2™-Personal	2021-01	
	WPA3™-Enterpris	se 2022-12	
Roaming Consortium Selection Terms and Conditions	EAP methods		
Venue Information	192-bit security		





Certification ID: WFA128049

Role: Access Point Page 4 of 4

WPA3™-Personal 2022-06

WPA™-Enterprise

WPA™-Personal

Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list Cellular Data aware

Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

Wi-Fi CERTIFIED 6® (continued)

UL OFDMA

Wi-Fi 6E

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8 Rx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

STBC

Wi-Fi Enhanced Open™ 2021-01