

# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

**Certification ID: WFA129270** 

#### **Product Info**

**Date of Certification** October 16, 2024

**Company** D-Link Corporation

Product Name Nuclias Connect AX3000 Access Point

Product Model Variant DAP-X3060

Model Number DAP-X3060

**Category** Routers

**Sub-category** Enterprise/Service Provider Access Point, Switch/Controller or Router

## **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

**Optimization** WMM®

Wi-Fi Agile Multiband™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2023-12



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA129270** 



Role: Access Point Page 2 of 3

Wi-Fi Components

**Wi-Fi Component Operating System** 

Linux

Wi-Fi Component Firmware

1.01

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

1.01

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

5 GHz 2 2

### **Certifications**

#### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

## WPA2™-Personal 2021-01

#### WPA3™-Enterprise 2022-12

EAP methods 192-bit security

#### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz

#### **Protected Management Frames**

**WMM®** 

WPA2™-Enterprise 2018-04

EAP methods

## WPA3™-Personal 2023-12

#### Wi-Fi Agile Multiband™

Cellular Data aware
Fast Transition OTA on WPA2-Enterprise
Fast Transition OTA on WPA2-Personal

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

Baolo miggor namo in me mo m Bo

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)



# **Wi-Fi CERTIFIED™ Certificate**



**Certification ID: WFA129270** 

Role: Access Point Page 3 of 3

#### Wi-Fi CERTIFIED 6® (continued)

Compressed Block Ack Tx (buffer size 256)

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

STBC

SU beamformer

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS on Extension Channel** 

Short Guard Interval

STBC

#### Wi-Fi Enhanced Open™ 2023-12