



# Wi-Fi CERTIFIED™ Certificate

This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)



**Certification ID: WFA129344**

## Product Info

<b>Date of Certification</b>	May 2, 2024
<b>Company</b>	Nokia Shanghai Bell Co., Ltd.
<b>Product Name</b>	Nokia WiFi Beacon 24
<b>Product Model Variant</b>	Beacon 24
<b>Model Number</b>	Beacon 24
<b>Category</b>	Routers
<b>Sub-category</b>	Cable, DSL or Other Broadband Gateway (Integrated Home Access Device)

## Summary of Certifications

CLASSIFICATION	CERTIFICATION
<b>Access</b>	Wi-Fi Protected Setup™
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2023-12
<b>Optimization</b>	WMM® Wi-Fi Agile Multiband™
<b>Security</b>	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2023-12 WPA™-Enterprise



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA129344



## Summary of Certifications (continued)

Page 2 of 5

### CLASSIFICATION

### CERTIFICATION

Security

WPA™-Personal



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA129344



Role: Access Point

Page 3 of 5

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

QCA\_Networking\_202x\_SPF

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	4	4
5 GHz	4	4
6 GHz	4	4

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz  
160 MHz Channel Width in 5 GHz

### 6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz  
40 MHz Channel Width in 6 GHz  
80 MHz Channel Width in 6 GHz  
160 MHz Channel Width in 6 GHz

### Protected Management Frames

WMM®

WPA2™-Enterprise 2018-04

### WPA2™-Enterprise 2018-04 (continued)

EAP methods

### WPA2™-Personal 2021-01

### WPA3™-Enterprise 2022-12

EAP methods

### WPA3™-Personal 2023-12

AKM 24  
Beacon Protection

### WPA™-Enterprise

### WPA™-Personal

### Wi-Fi Agile Multiband™

### Wi-Fi CERTIFIED 6® Release 2



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA129344



Role: Access Point

Page 4 of 5

## Wi-Fi CERTIFIED 6® Release 2 (continued)

4 antenna support  
A-MPDU with A-MSDU  
Basic Trigger frame in HE MU PPDU  
BSRP Trigger frame  
Co-located BSS  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
DL MU-MIMO  
DL OFDMA  
Individual Target Wake Time  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MU-BAR Trigger frame  
MU-RTS Trigger frame  
Operating Mode indication  
SU beamformer  
SU-MIMO  
TXOP RTS Threshold  
UL OFDMA  
Wi-Fi 6E  
Wi-Fi 6 Release 2 features  
    UL MU-MIMO  
    UL MU Control  
    UL Extended Range  
    Target Wake Time information frames  
    Broadcast Target Wake Time  
    Extended sleep  
    Dynamic MU SMPS

## Wi-Fi CERTIFIED 7™

## Wi-Fi CERTIFIED 7™ (continued)

A-MPDU with A-MSDU  
BSRP Trigger frame  
BSS critical update  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
DL MU-MIMO  
DL OFDMA  
Dynamic MU SMPS  
EMLSR (Enhanced Multilink Single-Radio)  
EPCS (Emergency Preparedness Communications Services) priority access  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MCS 12-13 Rx  
MCS 12-13 Tx  
Multi-RU  
MU-RTS Trigger frame  
Operating Mode indication  
Static puncturing  
STR (Simultaneous Transmit and Receive)  
SU-MIMO  
Triggered uplink access optimization  
UL MU-MIMO  
UL OFDMA

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU  
DL MU-MIMO



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA129344



Role: Access Point

Page 5 of 5

## Wi-Fi CERTIFIED™ ac (continued)

LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
RTS with BW Signaling  
Short Guard Interval  
STBC  
SU beamformer

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

A-MPDU Tx  
OBSS on Extension Channel  
Short Guard Interval  
STBC

## Wi-Fi Enhanced Open™ 2023-12

## Wi-Fi Protected Setup™

PIN  
Pushbutton