



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA127489

Product Info

Date of Certification January 5, 2024

Company Qualcomm

Product Name Qualcomm FastConnect 7800 Mobile Connectivity system

Product Model Variant Wi-Fi 7

Model Number NCM865

Category Computers & Accessories

Sub-category External Adapter

Summary of Certifications

CI ASSIFICAT	ION (CERTIFICA	TION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2023-12

Spectrum & Regulatory

Features

Spectrum & Regulatory





Certification ID: WFA127489

Role: Station	Page 2 of 4		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Windows	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	2	2
3.0.1.1084+0x1100806d	2.7 0112	_	_

	5 GHz 2 2	
	6 GHz 2 2	
Certifications		
2.4 GHz Spectrum Capabilities	Spectrum & Regulatory (continued)	
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	802.11d 802.11h	
5 GHz Spectrum Capabilities	WMM®	
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	WPA2™-Enterprise 2018-04 EAP methods EAP TLS EAP TTLS	
6 GHz Spectrum Capabilities	PEAPv0	
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz	WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12	
320 MHz channel width in 6 GHz	EAP methods EAP TLS EAP TTLS	
Protected Management Frames	PEAP ITES PEAPv0 192-bit security	
Spectrum & Regulatory	Server Certificate Validation	





Certification ID: WFA127489

Role: Station Page 3 of 4

WPA3™-Personal 2023-12

AKM 24

Beacon Protection

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL MU PPDU multi-tone

HE NDP

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 10-11 Rx

MCS 10-11 Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

OM Control field Tx

OM subfield in A-Control field

Operating mode indication

SU beamformee

SU-MIMO

UL OFDMA

UL TB PPDU multi-tone

Wi-Fi 6E

Multiple M-BSSID

Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping

A-MPDU with A-MSDU

Beamforming sounding

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

Compressed Block Ack Rx (buffer size 512)

Compressed Block Ack Tx (buffer size 512)

DL MU-MIMO

EMLSR (Enhanced Multilink Single-Radio)

EPCS (Emergency Preparedness Communications Services)

priority access

LDPC Rx

LDPC Tx

Load Balancing in MLO

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

 $\hbox{Multi-link reconfiguration}-\hbox{AP removal}$

 $\hbox{Multi-link reconfiguration} - \hbox{AP restart}$

Multi-RU

Operating mode indication

Operating mode indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac





Certification ID: WFA127489

Role: Station Page 4 of 4

Wi-Fi CERTIFIED™ ac (continued)

Extended 5 GHz Channel Support

RTS with BW Signaling

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

RIFS

Short Guard Interval

STBC

Wi-Fi Enhanced Open™ 2023-12