



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA126692

Product Info

Date of Certification	January 5, 2024
Company	MediaTek Inc.
Product Name	MediaTek Filogic-880-STA - MT7990
Product Model Variant	Wi-Fi 7
Model Number	MediaTek Filogic-880-STA - MT7990
Category	Other
Sub-category	Embedded Module

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2023-12
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2023-12



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA126692



Role: Station

Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

ver_20230915165522_20231212074546_v2.
10-devel-11be-1.6_Mediatek_DUT-11be-8.0.1

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz
160 MHz Channel Width in 5 GHz

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz
40 MHz Channel Width in 6 GHz
80 MHz Channel Width in 6 GHz
160 MHz Channel Width in 6 GHz
320 MHz channel width in 6 GHz

Protected Management Frames

WMM®

WPA2™-Enterprise 2018-04

WPA2™-Enterprise 2018-04 (continued)

EAP methods
EAP TLS
EAP TTLS
PEAPv0
PEAPv1

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods
EAP TLS
EAP TTLS
PEAPv0
PEAPv1
Server Certificate Validation

WPA3™-Personal 2023-12

AKM 24
AKM 25
Beacon Protection



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA126692



Role: Station

Page 3 of 4

Wi-Fi Agile Multiband™

BTM Query

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU
 Beamforming sounding
 BSRP Trigger frame
 Compressed Block Ack Rx (buffer size 256)
 Compressed Block Ack Tx (buffer size 256)
 DL MU-MIMO
 DL Mu PPDU multi-tone
 LDPC Tx
 LDPC Rx
 Individual Target Wake Time
 MCS 10-11 Rx
 MCS 10-11 Tx
 MCS 8-9 Rx
 MCS 8-9 Tx
 MU EDCA Parameter Set element
 MU-BAR Trigger frame
 MU-RTS Trigger frame
 OM subfield in A-Control field
 Operating Mode indication
 SU beamformee
 SU-MIMO
 UL OFDMA
 UL TB PPDU multi-tone
 Wi-Fi 6E
 Multiple M-BSSID

Wi-Fi CERTIFIED 7™ (continued)

BSS critical update
 Compressed Block Ack Rx (buffer size 256)
 Compressed Block Ack Tx (buffer size 256)
 Compressed Block Ack Rx (buffer size 512)
 Compressed Block Ack Tx (buffer size 512)
 DL MU-MIMO
 Dynamic MU SMPS
 EMLSR (Enhanced Multilink Single-Radio)
 EPCS (Emergency Preparedness Communications Services) priority access
 LDPC Rx
 LDPC Tx
 Load Balancing in MLO
 MCS 8-9 Rx
 MCS 8-9 Tx
 MCS 10-11 Rx
 MCS 10-11 Tx
 MCS 12-13 Rx
 MCS 12-13 Tx
 Multi-link reconfiguration – AP removal
 Multi-link reconfiguration – AP restart
 Multi-RU
 Operating Mode indication
 Operating Mode Indication for 320 MHz
 Static puncturing
 STR (Simultaneous Transmit and Receive)
 SU-MIMO
 Triggered uplink access optimization
 UL MU-MIMO
 UL OFDMA

Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping
 A-MPDU with A-MSDU
 Beamforming sounding

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA126692



Role: Station

Page 4 of 4

Wi-Fi CERTIFIED™ ac (continued)

Extended 5 GHz Channel Support
A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
MCS 8-9 Rx
Short Guard Interval
STBC
LDPC Tx
SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx
HT Duplicate Mode
OBSS on Extension Channel
Short Guard Interval
STBC

Wi-Fi Enhanced Open™ 2023-12