



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA127787**

## Product Info

<b>Date of Certification</b>	January 5, 2024
<b>Company</b>	Broadcom Corporation
<b>Product Name</b>	BCM4398
<b>Product Model Variant</b>	Wi-Fi 7
<b>Model Number</b>	BCM4398
<b>Category</b>	Other
<b>Sub-category</b>	Embedded Module

## Summary of Certifications

<b>CLASSIFICATION</b>	<b>CERTIFICATION</b>
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2023-12
<b>Optimization</b>	WMM® Wi-Fi Agile Multiband™ Wi-Fi QoS Management™
<b>Security</b>	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2023-12 WPA™-Enterprise WPA™-Personal



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127787



## Summary of Certifications (continued)

Page 2 of 5

### CLASSIFICATION

### CERTIFICATION

Spectrum & Regulatory  
Features

Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127787



Role: Station

Page 3 of 5

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

24.10.691.9-r-1044003:01-b4951bab

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

### 6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

160 MHz Channel Width in 6 GHz

320 MHz channel width in 6 GHz

### Protected Management Frames

### Spectrum & Regulatory

### Spectrum & Regulatory (continued)

802.11d

802.11h

### WMM®

### WPA2™-Enterprise 2018-04

EAP methods

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

### WPA2™-Personal 2021-01

### WPA3™-Enterprise 2022-12

EAP methods

EAP TLS

EAP TTLS

PEAPv0

PEAPv1



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127787



Role: Station

Page 4 of 5

## WPA3™-Enterprise 2022-12 (continued)

Fast Transition OTA on WPA3-Enterprise  
Fast Transition OTA on WPA3-Enterprise transition mode  
Fast Transition OTDS on WPA3-Enterprise  
Server Certificate Validation

## WPA3™-Personal 2023-12

AKM 24  
AKM 25  
Fast Transition OTA on WPA3-Personal  
Fast Transition OTA on WPA3-Personal transition mode  
Fast Transition OTDS on WPA3-Personal  
Beacon Protection

## WPA™-Enterprise

## WPA™-Personal

## Wi-Fi Agile Multiband™

ANQP  
ANQP-based Neighbor report  
Beacon Report Measurement Active Mode  
Beacon Report Measurement Passive Mode  
BTM Query  
Cellular Data capable  
Fast Transition OTA on WPA2-Personal  
Fast Transition OTA on WPA2-Enterprise

## Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU  
Beamforming sounding  
BSRP Trigger frame

## Wi-Fi CERTIFIED 6® Release 2 (continued)

Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
DL MU-MIMO  
DL Mu PPDU multi-tone  
HE NDP  
LDPC Tx  
LDPC Rx  
Individual Target Wake Time  
MCS 10-11 Rx  
MCS 10-11 Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
MU-RTS Trigger frame  
OM Control field Tx  
Operating Mode indication  
SU beamformee  
SU-MIMO  
UL OFDMA  
UL TB PPDU multi-tone  
Wi-Fi 6E  
Multiple M-BSSID  
Wi-Fi 6 Release 2 features  
UL MU-MIMO  
UL MU Control  
UL Extended Range  
M-BSSID control frames  
Preamble Puncturing

## Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping  
A-MPDU with A-MSDU  
Beamforming sounding



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127787



Role: Station

Page 5 of 5

## Wi-Fi CERTIFIED 7™ (continued)

BSS critical update  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
DL MU-MIMO  
EMLSR (Enhanced Multilink Single-Radio)  
LDPC Rx  
LDPC Tx  
Load Balancing in MLO  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MCS 12-13 Rx  
MCS 12-13 Tx  
Multi-link reconfiguration – AP removal  
Multi-link reconfiguration – AP restart  
Multi-RU  
Operating Mode indication  
    Operating Mode Indication for 320 MHz  
Static puncturing  
STR (Simultaneous Transmit and Receive)  
SU-MIMO  
Triggered uplink access optimization  
UL MU-MIMO  
UL OFDMA

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support  
A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
MCS 8 Rx

## Wi-Fi CERTIFIED™ ac (continued)

MCS 8-9 Rx  
Short Guard Interval  
LDPC Tx  
SU beamformee

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

A-MPDU Tx  
OBSS on Extension Channel  
Power Management  
Short Guard Interval

## Wi-Fi Enhanced Open™ 2023-12

## Wi-Fi QoS Management™

Default DSCP to UP mapping  
DSCP QoS Map  
DSCP Policy  
Mirrored Stream Classification Service  
    MSCS setup at association  
Stream Classification Service  
    SCS with QoS characteristics