



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA127760

Product Info

Date of Certification January 5, 2024

Company Broadcom Corporation

Product Name BCM94916R6726W7

Product Model Variant Wi-Fi 7

Model Number BCM94916R6726W7

Category Routers

Sub-category Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2023-12

Spectrum & Regulatory

Features

Spectrum & Regulatory





Certification ID: WFA127760

Role: Access Point		Page 2 of 4
Wi-Fi Components		
Wi-Fi Component Operating System	RF Architecture	
Linux	Bands Supported Trans	smit (Tx) Receive (Rx)
Wi-Fi Component Firmware 17.10.373.9	2.4 GHz 4	4
	5 GHz 4	4
	6 GHz 4	4
Certifications		
2.4 GHz Spectrum Capabilities	Spectrum & Regulatory (continued)
20 MHz Channel Width in 2.4 GHz	802.11d	
40 MHz Channel Width in 2.4 GHz	802.11h	
5 GHz Spectrum Capabilities	WMM®	
20 MHz Channel Width in 5 GHz	Max Throughput	
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz		
160 MHz Channel Width in 5 GHz	WPA2™-Enterprise 2018	-04
	EAP methods	
6 GHz Spectrum Capabilities		
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz	WPA2™-Personal 2021-0)1
80 MHz Channel Width in 6 GHz	WPA3™-Enterprise 2022	-12
160 MHz Channel Width in 6 GHz 320 MHz channel width in 6 GHz	EAP methods	
	192-bit security	
Protected Management Frames	WPA3™-Personal 2023-1	2
Spectrum & Regulatory		



Certification ID: WFA127760



Role: Access Point Page 3 of 4

WPA3™-Personal 2023-12 (continued)

AKM 24

Beacon Protection

SAE-Public Key

Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list

Fast Transition OTA on WPA2-Personal

Wi-Fi CERTIFIED 6® Release 2

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

Beamforming sounding

BSRP Trigger frame

Co-located BSS

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

Wi-Fi CERTIFIED 6® Release 2 (continued)

UL OFDMA

Wi-Fi 6E

Wi-Fi 6 Release 2 features

UL MU-MIMO

UL MU Control

UL Extended Range

Target Wake Time information frames

Extended sleep

Dynamic MU SMPS

Preamble Puncturing

Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping

A-MPDU with A-MSDU

Basic Trigger frame in EHT MU PPDU

Beamforming sounding

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

Load Balancing in MLO

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-link reconfiguration - AP removal





Certification ID: WFA127760

Role: Access Point Page 4 of 4

Wi-Fi CERTIFIED 7™ (continued)

Multi-link reconfiguration - AP restart

Multi-RU

MU-RTS Trigger frame

Operating mode indication

Operating mode indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

Extended 5 GHz Channel Support

LDPC Rx

LDPC Tx

MCS 8 Rx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

Wi-Fi CERTIFIED™ n (continued)

HT Duplicate Mode

OBSS on Extension Channel

RIFS

Short Guard Interval

STBC