

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA113058

Product Info

Date of Certification January 10, 2024

Company Huawei Technologies Co., Ltd.

Product Name Wireless LAN Access Point

Product Model Variant AirEngine5761R-11 ver.23.1

Model Number AirEngine5761R-11

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

| CLASSIFICATION | CERTIFICATION |
|----------------|---------------|
|----------------|---------------|

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2020-02

Spectrum & Regulatory

Features

Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA113058

| Role: Access Point | | Pa | age 2 of 3 |
|----------------------------------|-----------------|---------------|--------------|
| Wi-Fi Components | | | |
| Wi-Fi Component Operating System | RF Architecture | | |
| Linux | Bands Supported | Transmit (Tx) | Receive (Rx) |
| Wi-Fi Component Firmware | 2.4 GHz | 2 | 2 |
| Ver.A | 5 GHz | 2 | 2 |
| | | | |
| | | | |

| | 5 GHZ 2 2 |
|--|---|
| | |
| Certifications | |
| 2.4 GHz Spectrum Capabilities | WPA2™-Enterprise 2018-04 (continued) |
| 20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz | EAP methods |
| | WPA2™-Personal 2021-01 |
| 5 GHz Spectrum Capabilities | MDA2IM Enterprise 2020 02 |
| 20 MHz Channel Width in 5 GHz | WPA3™-Enterprise 2020-02 |
| 40 MHz Channel Width in 5 GHz | EAP methods |
| 80 MHz Channel Width in 5 GHz | 192-bit security |
| | |
| Districted Management Evens | WDA2TM Down and 2020 02 |
| Protected Management Frames | WPA3™-Personal 2020-02 |
| Protected Management Frames Spectrum & Regulatory | WPA3™-Personal 2020-02 Wi-Fi Agile Multiband™ |
| - | Wi-Fi Agile Multiband™ |
| Spectrum & Regulatory | _ |
| Spectrum & Regulatory 802.11d | Wi-Fi Agile Multiband™ Automatically populate BSS Transition candidate list |
| Spectrum & Regulatory 802.11d | Wi-Fi Agile Multiband™ Automatically populate BSS Transition candidate list |
| Spectrum & Regulatory 802.11d 802.11h | Wi-Fi Agile Multiband™ Automatically populate BSS Transition candidate list Cellular Data aware |
| Spectrum & Regulatory 802.11d 802.11h WMM® WMM®-Power Save | Wi-Fi Agile Multiband™ Automatically populate BSS Transition candidate list Cellular Data aware Wi-Fi CERTIFIED 6® A-MPDU with A-MSDU Basic Trigger frame in HE MU PPDU |
| Spectrum & Regulatory 802.11d 802.11h WMM® | Wi-Fi Agile Multiband™ Automatically populate BSS Transition candidate list Cellular Data aware Wi-Fi CERTIFIED 6® A-MPDU with A-MSDU Basic Trigger frame in HE MU PPDU Beamforming sounding |
| Spectrum & Regulatory 802.11d 802.11h WMM® WMM®-Power Save | Wi-Fi Agile Multiband™ Automatically populate BSS Transition candidate list Cellular Data aware Wi-Fi CERTIFIED 6® A-MPDU with A-MSDU Basic Trigger frame in HE MU PPDU |



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA113058



Role: Access Point Page 3 of 3

Wi-Fi CERTIFIED 6® (continued)

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

Operating mode indication

SU beamformer

TXOP RTS Threshold

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval

STBC