



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA126676

Product Info

Date of Certification January 5, 2024

Company MaxLinear Inc.

Product Name Maxlinear Wi-Fi 7 Triband Access Point

Product Model Variant Wi-Fi 7

Model Number ZURX851-HDK-2

Category Routers

Sub-category Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2023-12

WPA™-Enterprise WPA™-Personal





Certification ID: WFA126676

Summary	of C	Certificat	ions (cont	inued)
- Cullilliai y		oi tiiioa		COLL	illiaca

Page 2 of 5

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features







Role: Access Point	Pa	Page 3 of 5			
Vi-Fi Components					
Wi-Fi Component Operating System	RF Architecture				
Linux Kernel 5.15	Bands Supported	Transmit (Tx)	Receive (Rx)		
Wi-Fi Component Firmware	2.4 GHz	4	4		
WFA_610.16	5 GHz	4	4		
	6 GHz	4	4		
	0 0112	7	7		
Certifications					
2.4 GHz Spectrum Capabilities	Spectrum & Regul	Spectrum & Regulatory (continued)			
20 MHz Channel Width in 2.4 GHz	802.11d				
40 MHz Channel Width in 2.4 GHz					
	WMM®				
5 GHz Spectrum Capabilities	WPA2™-Enterpris	WPA2™-Enterprise 2018-04			
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz					
80 MHz Channel Width in 5 GHz	EAP methods				
160 MHz Channel Width in 5 GHz	WPA2™-Personal 2021-01				
6 GHz Spectrum Capabilities	WPA3™-Enterpris	e 2022-12			
20 MHz Channel Width in 6 GHz	EAP methods				
40 MHz Channel Width in 6 GHz					
80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz	WPA3™-Personal	2023-12			
320 MHz channel width in 6 GHz	AKM 24				
	Beacon Protection				
Protected Management Frames					
Spectrum & Regulatory	WPA™-Enterprise				



Certification ID: WFA126676



Role: Access Point Page 4 of 5

WPA™-Personal

Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list

Cellular Data aware

Wi-Fi CERTIFIED 6® Release 2

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

Beamforming sounding

BSRP Trigger frame

Co-located BSS

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating Mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Wi-Fi 6 Release 2 features

Wi-Fi CERTIFIED 6® Release 2 (continued)

UL MU-MIMO

UL MU Control

UL Extended Range

Target Wake Time information frames

Broadcast Target Wake Time

Extended sleep

Dynamic MU SMPS

M-BSSID control frames

Preamble Puncturing

Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping

A-MPDU with A-MSDU

Basic Trigger frame in EHT MU PPDU

Beamforming sounding

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

EPCS (Emergency Preparedness Communications Services)

priority access

LDPC Rx

LDPC Tx

Load Balancing in MLO

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx



Certification ID: WFA126676



Role: Access Point Page 5 of 5

Wi-Fi CERTIFIED 7™ (continued)

Multi-RU

MU-RTS Trigger frame

Operating Mode indication

Operating Mode Indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

Wi-Fi CERTIFIED™ n (continued)

OBSS on Extension Channel Short Guard Interval

STBC

Wi-Fi Enhanced Open™ 2023-12