



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA129434

Product Info

Date of Certification January 11, 2024

Company Extreme Networks

Product Name AP5050

Product Model Variant AP5050U

Model Number AP5050U-FCC

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Applications & Services Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2022-06





Certification ID: WFA129434

Summary of Certifications (continued)		Page 2 of 5
CLASSIFICATION	CERTIFICATION	
Security	WPA™-Enterprise WPA™-Personal	
Spectrum & Regulatory Features	Spectrum & Regulatory	





Certification ID: WFA129434

Role: Access Point		Pa	age 3 of 5	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	4	4	
17.10.188.93	5 GHz	4	4	
	6 GHz	4	4	
Certifications				
2.4 GHz Spectrum Capabilities	Spectrum & Regu	Spectrum & Regulatory (continued)		
20 MHz Channel Width in 2.4 GHz	802.11d			
40 MHz Channel Width in 2.4 GHz	802.11h			
5 GHz Spectrum Capabilities	Voice-Enterprise			
3 GHZ Spectrum Capabilities	Voice-Litterprise			
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	WMM®			
80 MHz Channel Width in 5 GHz	Max Throughput			
160 MHz Channel Width in 5 GHz				
6 GHz Spectrum Capabilities	WMM®-Admission	n Control		
	WMM®-Power Sav	ve		
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz	Legacy Power Save	Legacy Power Save		
80 MHz Channel Width in 6 GHz	Unschedule auto PS			
160 MHz Channel Width in 6 GHz				
Protected Management Frames	WPA2™-Enterpris	se 2018-04		
Trotected management Frames	EAP methods			
Spectrum & Regulatory				
	WPA2™-Personal	2021-01		



Certification ID: WFA129434



Role: Access Point Page 4 of 5

WPA3™-Enterprise 2022-12

EAP methods

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

WPA3™-Personal 2022-06

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

WPA™-Enterprise

WPA™-Personal

Wi-Fi Agile Multiband™

Fast Transition OTA on WPA2-Enterprise Fast Transition OTA on WPA2-Personal

Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

Beamforming sounding

BSRP Trigger frame

Co-located BSS

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

Wi-Fi CERTIFIED 6® (continued)

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating Mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8 Rx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode





Certification ID: WFA129434

Role: Access Point	Page 5 of 5
Wi-Fi CERTIFIED™ n (continued)	
OBSS on Extension Channel	
RIFS	
Short Guard Interval	
STBC	
Fi Enhanced Open™ 2021-01	