



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA129484**

## Product Info

<b>Date of Certification</b>	January 11, 2024
<b>Company</b>	Qualcomm
<b>Product Name</b>	Qualcomm FastConnect 7800 Wi-Fi 7 High Band Simultaneous Network Adapter
<b>Product Model Variant</b>	Wi-Fi 7
<b>Model Number</b>	NCM865A
<b>Category</b>	Computers & Accessories
<b>Sub-category</b>	External Adapter

## Summary of Certifications

CLASSIFICATION	CERTIFICATION
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2023-12
<b>Optimization</b>	WMM® Wi-Fi Agile Multiband™
<b>Security</b>	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2023-12
<b>Spectrum &amp; Regulatory Features</b>	Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA129484



Role: Station

Page 2 of 4

## Wi-Fi Components

### Wi-Fi Component Operating System

Windows

### Wi-Fi Component Firmware

3.0.1.1084+0x1100806d

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### Spectrum & Regulatory (continued)

802.11d  
802.11h

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz  
160 MHz Channel Width in 5 GHz

### WMM®

### WPA2™-Enterprise 2018-04

EAP methods  
EAP TLS  
EAP TTLS  
PEAPv0

### 6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz  
40 MHz Channel Width in 6 GHz  
80 MHz Channel Width in 6 GHz  
160 MHz Channel Width in 6 GHz  
320 MHz channel width in 6 GHz

### WPA2™-Personal 2021-01

### WPA3™-Enterprise 2022-12

EAP methods  
EAP TLS  
EAP TTLS  
PEAPv0  
192-bit security  
Server Certificate Validation

### Protected Management Frames

### Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA129484



Role: Station

Page 3 of 4

## WPA3™-Personal 2023-12

AKM 24  
Beacon Protection

## Wi-Fi Agile Multiband™

## Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU  
Beamforming sounding  
BSRP Trigger frame  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
DL MU-MIMO  
DL Mu PPDU multi-tone  
HE NDP  
LDPC Tx  
LDPC Rx  
Individual Target Wake Time  
MCS 10-11 Rx  
MCS 10-11 Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
MU-RTS Trigger frame  
OM Control field Tx  
OM subfield in A-Control field  
Operating Mode indication  
SU beamformee  
SU-MIMO  
UL OFDMA  
UL TB PPDU multi-tone  
Wi-Fi 6E  
Multiple M-BSSID

## Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping  
A-MPDU with A-MSDU  
Beamforming sounding  
BSS critical update  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
Compressed Block Ack Rx (buffer size 512)  
Compressed Block Ack Tx (buffer size 512)  
DL MU-MIMO  
EMLSR (Enhanced Multilink Single-Radio)  
EPCS (Emergency Preparedness Communications Services) priority access  
LDPC Rx  
LDPC Tx  
Load Balancing in MLO  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MCS 12-13 Rx  
MCS 12-13 Tx  
Multi-link reconfiguration – AP removal  
Multi-link reconfiguration – AP restart  
Multi-RU  
Operating Mode indication  
    Operating Mode Indication for 320 MHz  
Static puncturing  
STR (Simultaneous Transmit and Receive)  
SU-MIMO  
Triggered uplink access optimization  
UL MU-MIMO  
UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA129484



Role: Station

Page 4 of 4

## Wi-Fi CERTIFIED™ ac (continued)

Extended 5 GHz Channel Support  
RTS with BW Signaling  
A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
LDPC Tx  
SU beamformee

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

A-MPDU Tx  
OBSS on Extension Channel  
RIFS  
Short Guard Interval  
STBC

## Wi-Fi Enhanced Open™ 2023-12