



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

Certification ID: WFA129508

Product Info

Date of Certification January 19, 2024

Company Panasonic Automotive Systems Co., Ltd.

Product Name Car Audio System

Product Model Variant Source (Updated WPA3R3+WPA2)

Model Number CN-ST2DE7AEC

Category Other

Sub-category In-vehicle Network

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Alternative topologies Wi-Fi Direct®

Applications Miracast®

Network management WMM®

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2022-06

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Spectrum & Regulatory
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n



Certification ID: WFA129508



| Role: Access Point | Page 2 of 6 |
|--------------------|-------------|
| | |

Wi-Fi Components

Wi-Fi Component Operating System

Linux 4.14.75

Wi-Fi Component Firmware

17.68.1.p136

RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|-----------------|---------------|--------------|
| 2.4 GHz | 1 | 1 |
| 5 GHz | 2 | 2 |

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11d

WMM®

WMM®-Power Save

Legacy Power Save Unschedule auto PS

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

STBC



Certification ID: WFA129508



| Role: Access Point | Page 3 of 6 |
|------------------------|-------------|
| Wi-Fi Protected Setup™ | |
| PIN Pushbutton | |



Certification ID: WFA129508



Role: Station Page 4 of 6

Wi-Fi Components

Wi-Fi Component Operating System

Linux 4.14.75

Wi-Fi Component Firmware

17.68.1.p136

RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|-----------------|---------------|--------------|
| 2.4 GHz | 1 | 1 |
| 5 GHz | 2 | 2 |

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Protected Management Frames

WMM®

WMM®-Power Save

Legacy Power Save Unschedule auto PS

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Power Management

Short Guard Interval

STBC

Wi-Fi Direct®

Wi-Fi Protected Setup™



Certification ID: WFA129508



| etup™ (continued) | |
|-------------------|--|
| | |
| etup™ (continued) | |



Certification ID: WFA129508



| Role: Display | | Page 6 of 6 | |
|----------------------------------|--|-------------|--|
| Wi-Fi Components | | | |
| Wi-Fi Component Operating System | RF Architecture | | |
| Linux 4.14.75 | Bands Supported Transmit (Tx) Receive (F | ₹x) | |
| Wi-Fi Component Firmware | 2.4 GHz 1 1 | | |
| 17.68.1.p136 | 5 GHz 2 2 | | |
| | | | |
| Certifications | | | |
| Miracast® | | | |
| HDCP Encryption | | | |
| | | | |