



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA129566

Product Info

Date of Certification	January 16, 2024
Company	Huawei Technologies Co., Ltd.
Product Name	Optical Network Terminal
Product Model Variant	Huawei OptiXstar HG8145X6-6Te
Model Number	Huawei OptiXstar HG8145X6-6Te
Category	Routers
Sub-category	Cable, DSL or Other Broadband Gateway (Integrated Home Access Device)

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Connectivity	5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ n
Optimization	WMM® WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2020-02 WPA3™-Personal 2022-06
Spectrum & Regulatory Features	Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA129566



Role: Access Point

Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

V5

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
5 GHz	4	4

Certifications

5 GHz Spectrum Capabilities

- 20 MHz Channel Width in 5 GHz
- 40 MHz Channel Width in 5 GHz
- 80 MHz Channel Width in 5 GHz
- 160 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

- 802.11d
- 802.11h

WMM®

WMM®-Power Save

WPA2™-Enterprise 2018-04

EAP methods

WPA2™-Personal 2021-01

WPA3™-Enterprise 2020-02

WPA3™-Enterprise 2020-02 (continued)

EAP methods

WPA3™-Personal 2022-06

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

- 4 antenna support
- A-MPDU with A-MSDU
- Basic Trigger frame in HE MU PPDU
- Beamforming sounding
- BSRP Trigger frame
- Compressed Block Ack Rx (buffer size 256)
- Compressed Block Ack Tx (buffer size 256)
- DL MU-MIMO
- DL OFDMA
- Individual Target Wake Time
- LDPC Rx
- LDPC Tx
- MCS 8-9 Rx
- MCS 8-9 Tx
- MU EDCA Parameter Set element
- MU-BAR Trigger frame
- MU-RTS Trigger frame
- M-BSSID



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA129566



Role: Access Point

Page 3 of 4

Wi-Fi CERTIFIED 6® (continued)

Operating mode indication
SU beamformer
SU-MIMO
TXOP RTS Threshold
UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling
A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
LDPC Tx
MCS 8-9 Rx
Short Guard Interval
STBC
SU beamformer

Wi-Fi CERTIFIED™ n

A-MPDU Tx
OBSS on Extension Channel
Short Guard Interval
STBC

Wi-Fi Protected Setup™

PIN
Pushbutton



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA129566



Role: Controller

Page 4 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Certifications

Wi-Fi EasyMesh™