

# Wi-Fi CERTIFIED® Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

## **Certification ID: WFA129746**

## **Product Info**

**Date of Certification** January 30, 2024

**Company** Askey Computer Corporation

Product Name Router Smart WiFi 6 Go

Product Model Variant RTF8225VW-SV

Model Number RTF8225VW-SV

**Category** Routers

Sub-category Cable, DSL or Other Broadband Gateway (Integrated Home Access

Device)

# **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Network management WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Personal 2022-06

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Spectrum & Regulatory
Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n



# Wi-Fi CERTIFIED® Certificate

**Certification ID: WFA129746** 



## Role: Access Point Page 2 of 3

### Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

ES\_g1.0\_RTF\_TEF003\_V1.0\_V001

## **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	4	4
5 GHz	4	4

#### Certifications

## 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

#### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

#### **Protected Management Frames**

## Spectrum & Regulatory

802.11d 802.11h

#### **WMM®**

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi Agile Multiband™

### Wi-Fi Agile Multiband™ (continued)

Cellular Data aware

#### Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode subfield in A-Control field

Operating mode indication



# Wi-Fi CERTIFIED® Certificate

**Certification ID: WFA129746** 



Role: Access Point Page 3 of 3

Pushbutton

Wi-Fi Protected Setup™ (continued)

# Wi-Fi CERTIFIED 6® (continued) Operating mode UL MU Rx SU beamformer SU-MIMO TXOP RTS Threshold UL OFDMA Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx MCS 8-9 Rx

Short Guard Interval

**STBC** 

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

**OBSS** on Extension Channel

Short Guard Interval

STBC

Wi-Fi Protected Setup™

PIN