

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA129757

Product Info

Date of Certification January 26, 2024

Company TP-Link Corporation Limited

Product Name 5G AX3000 Wi-Fi 6 Telephony Router

Product Model Variant NX511v

Model Number NX511v

Category Routers

Sub-category Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2022-06



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA129757



Role: Access Point	Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Linux 4.4.60

Wi-Fi Component Firmware

WLAN.HK.2.6-02385-

QCAHKSWPL_SILICONZ-1.556268.3 v1

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities	Vi-Fi CERTIFIED 6® (c
-------------------------------	-----------------------

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

continued)

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

Operating Mode indication

SU-MIMO

UL OFDMA

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi Agile Multiband™

Cellular Data aware

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

LDPC Rx

LDPC Tx

Short Guard Interval

STBC

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Wi-Fi CERTIFIED 6®



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA129757

Role: Access Point Wi-Fi CERTIFIED™ n (continued) A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC