



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA129830

Product Info

Date of Certification March 26, 2024

Company Desay SV Automotive

Product Name MS11 SCDC

Product Model Variant IC4054/BD

Model Number IC4054/BD

Category Other

Sub-category In-vehicle Network

Summary of Certifications

CLASSIFICATION	CERTIFICATION
----------------	---------------

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2022-06

WPA™-Enterprise WPA™-Personal





Certification ID: WFA129830

Role: Access Point			age 2 of 5	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android 12	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	2	2	
1.0.2.0.3108.0	5 GHz	2	2	
Wi-Fi Component Operating System	RF Architecture			
Android 12	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware 2.2.0.0.327.0	2.4 GHz	1	1	
2.2.0.0.321.0	5 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	WMM®-Power Sav	re (continued)		
20 MHz Channel Width in 2.4 GHz	Legacy Power Save			
40 MHz Channel Width in 2.4 GHz	Unschedule auto PS			
5 GHz Spectrum Capabilities	WPA2™-Personal	2021-01		
20 MHz Channel Width in 5 GHz	WPA3™-Personal 2022-06			
	Wi-Fi CERTIFIED 6®			
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED 6	6 ®		
	Wi-Fi CERTIFIED (\$ ®		
	A-MPDU with A-MSDU Compressed Block Ack	Rx (buffer size 256)		
80 MHz Channel Width in 5 GHz	A-MPDU with A-MSDU	Rx (buffer size 256)		
80 MHz Channel Width in 5 GHz Protected Management Frames	A-MPDU with A-MSDU Compressed Block Ack Compressed Block Ack	Rx (buffer size 256)		



A-MPDU Tx

Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA129830

Role: Access Point	Page 3 of 5
Wi-Fi CERTIFIED 6® (continued)	
MCS 10-11 Rx	
MCS 10-11 Tx	
TXOP RTS Threshold	
Wi-Fi CERTIFIED™ a	
Wi-Fi CERTIFIED™ ac	
A-MPDU with A-MSDU	
LDPC Rx	
LDPC Tx	
MCS 8-9 Rx	
RTS with BW Signaling	
Short Guard Interval	
STBC	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
OBSS on Extension Channel	
Short Guard Interval	
STBC	





Certification ID: WFA129830

Role: Station		Pa	age 4 of 5	
Wi-Fi Components				
Wi-Fi Component Operating System Android 12	RF Architecture			
	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware 2.2.0.0.327.0	2.4 GHz	1	1	
2.2.0.0.027.0	5 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	WPA2™-Enterpris	se 2018-04 (cont	inued)	
20 MHz Channel Width in 2.4 GHz	PEAPv0			
	PEAPv1			
5 GHz Spectrum Capabilities	WPA2™-Personal	2021-01		
20 MHz Channel Width in 5 GHz	_			
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	WPA3™-Enterpris	se 2022-12		
	EAP methods			
Protected Management Frames	EAP TLS EAP TTLS			
WMM®	PEAPv0 PEAPv1			
WALKO D. O	Server Certificate Valida	ation		
WMM®-Power Save				
Legacy Power Save Unschedule auto PS	WPA3™-Personal 2022-06			
Unschedule auto PS	WPA™-Enterprise)		
WPA2™-Enterprise 2018-04	WPA™-Personal			
EAP methods EAP TLS	Wi-Fi CERTIFIED [™]	Wi-Fi CERTIFIED™ a		
EAP TTLS	Wi-Fi CERTIFIED™ ac			





Certification ID: WFA129830

Role: Station Page 5 of 5

Wi-Fi CERTIFIED™ ac (continued)

RTS with BW Signaling

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval

STBC

Wi-Fi Enhanced Open™ 2021-01