



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA128809

Product Info	
Date of Certification	April 26, 2024
Company	H3C
Product Name	H3C WA7638 WLAN AP with H3C WX Series WLAN Controller
Product Model Variant	H3C WA7638 WLAN AP with H3C WX Series WLAN Controller
Model Number	H3C WA7638 WLAN AP with H3C WX Series WLAN Controller
Category	Routers
Sub-category	Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2023-12 WPA™-Enterprise WPA™-Enterprise





Certification ID: WFA128809

0	- f O	/4!	داء ۽ ۽ ۽ ۽
Summarv	of Certificati	ons (conti	nuea

Page 2 of 5

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features



Certification ID: WFA128809



Role: Access Point		Pa	age 3 of 5	
Vi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Comware	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	4	4	
V700R001	5 GHz	4	4	
	6 GHz	4	4	
	0 0112	7	7	
Certifications				
2.4 GHz Spectrum Capabilities	Spectrum & Regu	latory (continue	d)	
20 MHz Channel Width in 2.4 GHz	802.11d			
40 MHz Channel Width in 2.4 GHz	802.11h	802.11h		
5 GHz Spectrum Capabilities	WMM®			
	_			
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	WPA2™-Enterpri	WPA2™-Enterprise 2018-04		
80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	EAP methods			
100 Minz Channel Width in 5 Gnz	MAID A O THE D	10001.01		
6 GHz Spectrum Capabilities	WPA2™-Persona	I 2021-01		
20 MHz Channel Width in 6 GHz	WPA3™-Enterpri	se 2022-12		
40 MHz Channel Width in 6 GHz	EAP methods			
80 MHz Channel Width in 6 GHz	192-bit security			
160 MHz Channel Width in 6 GHz				
Protected Management Frames	WPA3™-Persona	l 2023-12		
- Trotoctou management Frames	AKM 24			
Spectrum & Regulatory	Beacon Protection			





Certification ID: WFA128809

Role: Access Point Page 4 of 5

WPA™-Enterprise

WPA™-Personal

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

Operating Mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

BSS critical update

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

Wi-Fi CERTIFIED 7™ (continued)

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-RU

Operating Mode indication

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n





Certification ID: WFA128809

Role: Access Point

Wi-Fi CERTIFIED™ n (continued)

A-MPDU Tx

OBSS on Extension Channel
Short Guard Interval
STBC

Wi-Fi Enhanced Open™ 2023-12