



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

### **Certification ID: WFA101047**

### **Product Info**

**Date of Certification** March 4, 2024

Company Intel

Product Name Intel® Wi-Fi 6E AX210 (Gig+)

Product Model Variant Win 11 - 22.70 - Jan24

Model Number AX210

Category Computers & Accessories

**Sub-category** Internal Adapter

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum CapabilitiesWi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

**Optimization** WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2020-02 WPA3<sup>™</sup>-Personal 2022-06





**Certification ID: WFA101047** 

Summary of Certification	tions (continued)	Page 2 of 5
CLASSIFICATION	CERTIFICATION	
Security	WPA™-Enterprise WPA™-Personal	
Spectrum & Regulatory Features	Spectrum & Regulatory	



**Certification ID: WFA101047** 



**Role: Station** Page 3 of 5 Wi-Fi Components **Wi-Fi Component Operating System RF Architecture** Windows 11 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 2 2 22.70 5 GHz 2 6 GHz Certifications 2.4 GHz Spectrum Capabilities **Spectrum & Regulatory (continued)** 20 MHz Channel Width in 2.4 GHz 802.11h 40 MHz Channel Width in 2.4 GHz **WMM® 5 GHz Spectrum Capabilities WMM®-Power Save** 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz Legacy Power Save 80 MHz Channel Width in 5 GHz Unschedule auto PS 160 MHz Channel Width in 5 GHz WPA2<sup>™</sup>-Enterprise 2018-04 **6 GHz Spectrum Capabilities** EAP methods 20 MHz Channel Width in 6 GHz **EAP TLS** 40 MHz Channel Width in 6 GHz **EAP TTLS** PEAPv0 80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz WPA2™-Personal 2021-01 **Protected Management Frames** WPA3<sup>™</sup>-Enterprise 2020-02 Spectrum & Regulatory

EAP methods





**Certification ID: WFA101047** 

Role: Station Page 4 of 5

#### WPA3™-Enterprise 2020-02 (continued)

**EAP TLS** 

**EAP TTLS** 

PEAPv0

192-bit security

192-bit security RSA 3K with the

TLS\_ECDHE\_RSA\_WITH\_AES\_256\_GCM\_SHA384

cipher suite

Server Certificate Validation

#### WPA3™-Personal 2022-06

#### **WPA™-Enterprise**

#### **WPA™-Personal**

#### Wi-Fi Agile Multiband™

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

Fast Transition OTA on WPA2-Enterprise

#### Wi-Fi CERTIFIED 6® Release 2 (continued)

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

OM Control field Tx

OM subfield in A-Control field

Operating Mode indication

SU beamformee

**UL OFDMA** 

UL TB PPDU multi-tone

Wi-Fi 6E

Wi-Fi 6 Release 2 features

**UL MU-MIMO** 

UL MU Control

Target Wake Time information frames

Broadcast Target Wake Time

Dynamic MU SMPS

M-BSSID control frames

Preamble Puncturing

#### Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL Mu PPDU multi-tone

HE NDP

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 10-11 Rx

MCS 10-11 Tx

#### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee





**Certification ID: WFA101047** 

Role: Station	Page 5 c
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx OBSS on Extension Channel Power Management Short Guard Interval STBC	
Wi-Fi Direct®	
Wi-Fi Enhanced Open™ 2021-01	
Wi-Fi Protected Setup™	
PIN Pushbutton	