

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA100342

Product Info

| Date of Certification | April 26, 2024 |
|-----------------------|---|
| Company | H3C |
| Product Name | H3C WA6630X WLAN AP with H3C WX Series WLAN Controller |
| Product Model Variant | 2024-02-19 |
| Model Number | H3C WA6630X WLAN AP with H3C WX Series WLAN Controller |
| Category | Routers |
| Sub-category | Enterprise/Service Provider Access Point, Switch/Controller or Router |

Summary of Certifications

| CLASSIFICATION | CERTIFICATION |
|----------------|---|
| Connectivity | 2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2023-12 |
| Optimization | WMM® WMM®-Power Save Wi-Fi Agile Multiband™ |
| Security | Protected Management Frames WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2020-02 WPA3 [™] -Personal 2020-12 WPA [™] -Enterprise WPA [™] -Personal |



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA100342



Summary of Certifications (continued)Page 2 of 4CLASSIFICATIONCERTIFICATIONSpectrum & Regulatory
FeaturesSpectrum & Regulatory

This certificate was downloaded on 2024-05-06 at 14:02:39 UTC



Wi-Fi CERTIFIED[™] Certificate

Certification ID: WFA100342



| Role: Access Point | Pa | Page 3 of 4 | | | | |
|--|---|---------------|--------------|--|--|--|
| Wi-Fi Components | | | | | | |
| Wi-Fi Component Operating System | RF Architecture | | | | | |
| Proprietary / Other, description:Comware | Bands Supported | Transmit (Tx) | Receive (Rx) | | | |
| Wi-Fi Component Firmware V700R001 | 2.4 GHz | 2 | 2 | | | |
| | 5 GHz | 4 | 4 | | | |
| Certifications | | | | | | |
| 2.4 GHz Spectrum Capabilities | WPA2™-Enterprise 2018-04 | | | | | |
| 20 MHz Channel Width in 2.4 GHz | EAP methods | | | | | |
| 40 MHz Channel Width in 2.4 GHz | | 0004 04 | _ | | | |
| 5 GHz Spectrum Capabilities | WPA2™-Personal 2021-01 | | | | | |
| 20 MHz Channel Width in 5 GHz | WPA3 [™] -Enterprise 2020-02 EAP methods 192-bit security | | | | | |
| 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz | | | | | | |
| | | | | | | |
| Protected Management Frames | WPA3™-Personal 2020-12 | | | | | |
| Spectrum & Regulatory | WPA™-Enterprise | | | | | |
| 802.11d 802.11h | WPA™-Personal | | | | | |
| 002.1111 | Wi-Fi Agile Multib | and™ | | | | |
| WMM® | Automatically populate BSS Transition candidate list Cellular Data aware | | | | | |
| WMM®-Power Save | | | | | | |
| Legacy Power Save | Wi-Fi CERTIFIED 6® | | | | | |
| Unschedule auto PS | | | | | | |



Wi-Fi CERTIFIED[™] Certificate Certification ID: WFA100342



Page 4 of 4

Role: Access Point

Wi-Fi CERTIFIED 6® (continued)

A-MPDU with A-MSDU Basic Trigger frame in HE MU PPDU **BSRP** Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO DL OFDMA Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element MU-BAR Trigger frame **MU-RTS** Trigger frame M-BSSID Operating Mode indication SU beamformer **TXOP RTS Threshold UL OFDMA**

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU DL MU-MIMO LDPC Rx LDPC Tx MCS 8-9 Rx Short Guard Interval STBC SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC

Wi-Fi Enhanced Open[™] 2023-12