

# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA109593**

# Product InfoDate of CertificationApril 26, 2024CompanyH3CProduct NameH3C WA6636 WLAN AP with H3C WX Series WLAN ControllerProduct Model Variant2024-02-19(update version)Model NumberH3C WA6636 WLAN AP with H3C WX Series WLAN ControllerCategoryRoutersSub-categoryEnterprise/Service Provider Access Point, Switch/Controller or Router

# **Summary of Certifications**

| CLASSIFICATION                 | CERTIFICATION  |
|--------------------------------|--|
| Connectivity                   | 2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n |
| Optimization                   | WMM®<br>WMM®-Power Save<br>Wi-Fi Agile Multiband™  |
| Security                       | Protected Management Frames WPA2™-Enterprise 2018-04 WPA3™-Personal 2021-01 WPA3™-Enterprise 2020-02 WPA3™-Personal 2020-12 WPA™-Enterprise WPA™-Personal                    |
| Spectrum & Regulatory Features | Spectrum & Regulatory  |



# **Wi-Fi CERTIFIED™ Certificate**

**Certification ID: WFA109593** 



| Role: Access Point   | Page 2 of 3  |
|--|--|
| Wi-Fi Components   |  |
| Wi-Fi Component Operating System                                   | RF Architecture                                      |
| Comware  | Bands Supported Transmit (Tx) Receive (Rx)           |
| Wi-Fi Component Firmware<br>V700R001                               | 2.4 GHz 4 4  |
| V700R001   | 5 GHz 4 4  |
| Certifications   |  |
| 2.4 GHz Spectrum Capabilities                                      | WMM®-Power Save (continued)                          |
| 20 MHz Channel Width in 2.4 GHz<br>40 MHz Channel Width in 2.4 GHz | Unschedule auto PS                                   |
| 5 GHz Spectrum Capabilities  | WPA2™-Enterprise 2018-04                             |
| 20 MHz Channel Width in 5 GHz                                      | EAP methods  |
| 40 MHz Channel Width in 5 GHz                                      | WPA2™-Personal 2021-01                               |
| 80 MHz Channel Width in 5 GHz<br>160 MHz Channel Width in 5 GHz    |  |
|  | WPA3™-Enterprise 2020-02                             |
| Protected Management Frames  | EAP methods 192-bit security                         |
| Spectrum & Regulatory  | 102-bit security                                     |
| 802.11d  | WPA3™-Personal 2020-12                               |
| 802.11h  | WPA™-Enterprise                                      |
| WMM®   | WPA™-Personal  |
| WMM®-Power Save  | Wi-Fi Agile Multiband™                               |
| Legacy Power Save  | Automatically populate BSS Transition candidate list |



# Wi-Fi CERTIFIED™ Certificate



**Certification ID: WFA109593** 

Role: Access Point Page 3 of 3

### Wi-Fi Agile Multiband™ (continued)

Cellular Data aware

#### Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating Mode indication

SU beamformer

TXOP RTS Threshold

**UL OFDMA** 

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

RTS with BW Signaling

Extended 5 GHz Channel Support

#### Wi-Fi CERTIFIED™ ac (continued)

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS** on Extension Channel

Short Guard Interval

STBC