



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

# **Certification ID: WFA130163**

# **Product Info**

**Date of Certification** October 21, 2024

Company MediaTek Inc.

Product Name MediaTek MT6653

Product Model Variant NA

Model Number MediaTek MT6653

**Category** Phones

**Sub-category** Smartphone

# **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

Wi-Fi Protected Setup™

**Applications & Services** Voice-Enterprise

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01 Wi-Fi Enhanced Open™ 2023-12

**Optimization** TDLS

**WMM®** 

WMM®-Admission Control

WMM®-Power Save



**Certification ID: WFA130163** 



Summary of Certifications (continued)		Page 2 of 8
CLASSIFICATION	CERTIFICATION	
Optimization	Wi-Fi Agile Multiband™ Wi-Fi Optimized Connectivity™ 2020 Wi-Fi QoS Management™	
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2022-06 WPA3™-Personal 2023-12	
Spectrum & Regulatory Features	Spectrum & Regulatory	



WMM®-Power Save

# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA130163** 



Role: Access Point	P	age 3 of 8		
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android 15	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	2	2	
15 AP3A.240905.015.A1 mp1cs1ofp63	5 GHz	2	2	
	6 GHz	2	2	
	0 GHZ	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	WMM®-Power Sa	WMM®-Power Save (continued)		
20 MHz Channel Width in 2.4 GHz	Legacy Power Save			
	Unschedule auto PS			
5 GHz Spectrum Capabilities	WPA2™-Personal	2021-01		
20 MHz Channel Width in 5 GHz	WFA2 FeISOIIdi 2021-01			
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	WPA3™-Persona	2022-06		
160 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED 6® Release 2			
	A-MPDU with A-MSDU			
6 GHz Spectrum Capabilities	LDPC Rx			
20 MHz Channel Width in 6 GHz	LDPC Tx			
40 MHz Channel Width in 6 GHz		MCS 8-9 Rx MCS 8-9 Tx		
80 MHz Channel Width in 6 GHz	MCS 8-9 TX MCS 10-11 Rx			
160 MHz Channel Width in 6 GHz	MCS 10-11 Tx			
	SU-MIMO			
Protected Management Frames	Wi-Fi 6E			
	Wi-Fi 6 Release 2 featu	res		
WMM®	UL Extended Rang	е		

Wi-Fi CERTIFIED™ a



**Certification ID: WFA130163** 



Role: Access Point Page 4 of 8

### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

### Wi-Fi CERTIFIED™ b

# Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

HT Duplicate Mode

**OBSS** on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx

Wi-Fi Enhanced Open™ 2021-01



**Certification ID: WFA130163** 



Role: Station Page 5 of 8

### Wi-Fi Components

**Wi-Fi Component Operating System** 

Android 15

Wi-Fi Component Firmware

15 AP3A.240905.015.A1 mp1cs1ofp63

#### **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

### Certifications

# 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

### Passpoint® Release 3 (continued)

Display of HS2.0 indication

Fast Transition OTA on WPA2-Enterprise

NAI Home Realm Query element

Network Information in network selection

Operating Class Indication

Roaming Consortium Selection

Terms and Conditions

Private and secure terms and conditions

Venue Information

#### **6 GHz Spectrum Capabilities**

20 MHz Channel Width in 6 GHz

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

160 MHz Channel Width in 6 GHz

320 MHz channel width in 6 GHz

### **Protected Management Frames**

#### **Spectrum & Regulatory**

802.11h

### Passpoint® Release 3

ANQP-element for OSU provider selection Display and input method **TDLS** 

Voice-Enterprise

**WMM®** 



**Certification ID: WFA130163** 



Role: Station Page 6 of 8

#### **WMM®-Admission Control**

## WMM®-Power Save

Legacy Power Save Unschedule auto PS

### WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

**EAP AKA Prime** 

EAP SIM

**EAP TLS** 

**EAP TTLS** 

PEAPv0

PEAPv1

# WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

### EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

**EAP TLS** 

**EAP TTLS** 

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the

TLS\_ECDHE\_RSA\_WITH\_AES\_256\_GCM\_SHA384

cipher suite

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Fast Transition OTDS on WPA3-Enterprise

Server Certificate Validation

#### WPA3™-Personal 2023-12

AKM 24

AKM 25

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Fast Transition OTDS on WPA3-Personal

**Beacon Protection** 

### Wi-Fi Agile Multiband™

**ANQP** 

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Fast Transition OTA on WPA2-Personal

Fast Transition OTA on WPA2-Enterprise

#### Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 10-11 Rx

MCS 10-11 Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame



**Certification ID: WFA130163** 



Role: Station Page 7 of 8

#### Wi-Fi CERTIFIED 6® Release 2 (continued)

MU-RTS Trigger frame

M-BSSID

Operating mode control field

Operating mode subfield in A-Control field

Operating mode indication

SU beamformee

SU-MIMO

**UL OFDMA** 

Wi-Fi 6E

Multiple M-BSSID

Wi-Fi 6 Release 2 features

**UL MU-MIMO** 

**UL MU Control** 

Target Wake Time information frames

Broadcast Target Wake Time

Dynamic MU SMPS

M-BSSID control frames

Preamble Puncturing

### Wi-Fi CERTIFIED 7™ (continued)

LDPC Tx

Load Balancing in MLO

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-link reconfiguration - AP removal

Multi-link reconfiguration - AP restart

Multi-RU

Operating mode indication

Operating mode indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

**UL MU-MIMO** 

UL OFDMA

#### Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping

A-MPDU with A-MSDU

Beamforming sounding

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

Compressed Block Ack Rx (buffer size 512)

Compressed Block Ack Tx (buffer size 512)

DL MU-MIMO

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

EPCS (Emergency Preparedness Communications Services) priority access

LDPC Rx

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

#### Wi-Fi CERTIFIED™ b



**Certification ID: WFA130163** 

Wi-Fi QoS Management™ (continued)

MSCS setup at association Stream Classification Service



Role: Station Page 8 of 8

### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

**OBSS** on Extension Channel

Short Guard Interval

STBC

#### Wi-Fi Direct®

Wi-Fi Direct with WPA2

### Wi-Fi Enhanced Open™ 2023-12

### Wi-Fi Optimized Connectivity™ 2020

Active Scan

FILS Shared Key Authentication

Fast Transition OTA on WPA2-Enterprise

Pushbutton

Probe Deferral and Suppression

### Wi-Fi Protected Setup™

PIN

Pushbutton

### Wi-Fi QoS Management™

Default DSCP to UP mapping

DSCP QoS Map

**DSCP Policy** 

Mirrored Stream Classification Service