



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA127037

Product Info

Date of Certification March 22, 2024

Company Lumen Technologies

Product Name Wi-Fi 7 Router/AP

Product Model Variant Add Wi-Fi Feature

Model Number W1701K

Category Routers

Sub-category Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2023-12

Spectrum & Regulatory

Features

Spectrum & Regulatory





Certification ID: WFA127037

Role: Access Point		P	Page 2 of 4	
Wi-Fi Components				
Wi-Fi Component Operating System Linux	RF Architecture Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware 8.0	2.4 GHz	4	4	
	5 GHz 6 GHz	4	4	
Certifications				
2.4 GHz Spectrum Capabilities	Spectrum & Regu	Spectrum & Regulatory (continued)		
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	802.11d 802.11h			
5 GHz Spectrum Capabilities	WMM®			
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	WPA2™-Persona	WPA2™-Personal 2021-01		
80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	WPA3™-Persona	I 2023-12		
C CUL Ou a strong Con a bilitira	Beacon Protection			

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz 320 MHz channel width in 6 GHz

Protected Management Frames

Spectrum & Regulatory

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

4 antenna support
A-MPDU with A-MSDU
Basic Trigger frame in HE MU PPDU
BSRP Trigger frame
Compressed Block Ack Rx (buffer size 256)
Compressed Block Ack Tx (buffer size 256)





Certification ID: WFA127037

Role: Access Point Page 3 of 4

Wi-Fi CERTIFIED 6® (continued)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

Basic Trigger frame in EHT MU PPDU

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

Compressed Block Ack Rx (buffer size 512)

Compressed Block Ack Tx (buffer size 512)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

Wi-Fi CERTIFIED 7™ (continued)

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-RU

MU-RTS Trigger frame

Operating mode indication

Operating mode indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

Extended 5 GHz Channel Support

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n





Certification ID: WFA127037

