



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA126941

Product Info

Date of Certification March 22, 2024

Company Gemtek Technology Co., Ltd.

Product Name Wi-Fi 7 Router

Product Model Variant Add Wi-Fi Feature

Model Number W1700K

Category Routers

Sub-category Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2023-12

WPA™-Personal

Spectrum & Regulatory

Features

Spectrum & Regulatory





Certification ID: WFA126941

Role: Access Point		Pa	Page 2 of 4	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	4	4	
8.0	5 GHz	4	4	
	6 GHz	4	4	
Certifications				
2.4 GHz Spectrum Capabilities	Spectrum & Regulatory (continued)			
20 MHz Channel Width in 2.4 GHz	802.11d			
40 MHz Channel Width in 2.4 GHz	802.11h			
5 GHz Spectrum Capabilities	WMM®			
20 MHz Channel Width in 5 GHz	WPA2™-Personal 2021-01 WPA3™-Personal 2023-12			
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz				
160 MHz Channel Width in 5 GHz		2023-12		
	AKM 24 Beacon Protection			
6 GHz Spectrum Capabilities				
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz	WPA™-Personal			
80 MHz Channel Width in 6 GHz	Wi-Fi Agile Multiband™			
160 MHz Channel Width in 6 GHz 320 MHz channel width in 6 GHz	Wi-Fi CERTIFIED	6 ®		
	4 antenna support			
Protected Management Frames	Basic Trigger frame in HE MU PPDU			
Spectrum & Regulatory	BSRP Trigger frame Compressed Block Ack Rx (buffer size 256)			







Role: Access Point Page 3 of 4

Wi-Fi CERTIFIED 6® (continued)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating Mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Wi-Fi CERTIFIED 7™

Basic Trigger frame in EHT MU PPDU

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

Compressed Block Ack Rx (buffer size 512)

Compressed Block Ack Tx (buffer size 512)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

Wi-Fi CERTIFIED 7™ (continued)

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-RU

MU-RTS Trigger frame

Operating Mode indication

Operating Mode Indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

DL MU-MIMO

Extended 5 GHz Channel Support

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n





Certification ID: WFA126941

