

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA70916

Product Info

Date of Certification March 27, 2017

Company Linksys USA, Inc

Product Name MAX-STREAM AC4000 MU-MIMO TRI-BAND ROUTER

Product Model Variant 2017-03-27 (WFA70916 - 5225683)

Model Number EA9300

Category Routers

Sub-category Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Optimization WMM®

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise WPA2[™]-Personal



Wi-Fi CERTIFIED™ Certificate





Role: Access Point	Page 2 of 3			
Wi-Fi Component Operating System Linux Wi-Fi Component Firmware 1.1.8.179975	RF Architecture			
	Bands Supported 2.4 GHz 5 GHz	Transmit (Tx) 3 3	Receive (Rx) 3 3	
Certifications				
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED	Wi-Fi CERTIFIED™ ac		
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	DL MU-MIMO LDPC Rx LDPC Tx	LDPC Tx		
5 GHz Spectrum Capabilities	MCS 8-9 Rx Short Guard Interval			
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	STBC SU beamformer			
	Wi-Fi CERTIFIED	^M b		
Protected Management Frames	Wi-Fi CERTIFIED ^T	Wi-Fi CERTIFIED™ g		
WMM®	Wi-Fi CERTIFIED™ n			
WMM®-Power Save	HT Duplicate Mode OBSS on Extension Ch	HT Duplicate Mode OBSS on Extension Channel		

WPA2™-Enterprise

EAP methods

WPA2™-Personal

Wi-Fi CERTIFIED™ a

RIFS

Short Guard Interval

STBC

A-MPDU Tx

Wi-Fi Protected Setup™



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA70916