

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA130335

Product Info

Date of Certification March 12, 2024

Company TCL Communication Ltd.

Product Name 8493A

Product Model Variant 8493A

Model Number 8493A

Category Tablets, Ereaders & Cameras

Sub-category Tablet (Wi-Fi and other)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Optimization WMM®

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2022-06

WPA™-Enterprise WPA™-Personal



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA130335



Role: Station Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

andriod

Wi-Fi Component Firmware

01

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

EAP methods

EAP AKA

EAP AKA Prime

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

40 MHz Channel Width in 5 GHz

Protected Management Frames

5 GHz Spectrum Capabilities

80 MHz Channel Width in 5 GHz

20 MHz Channel Width in 5 GHz

WMM®

WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

WPA3™-Personal 2022-06

WPA™-Enterprise

WPA™-Personal

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

MCS 8-9 Rx



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA130335

ole: Station	Page 3 of 3
Wi-Fi CERTIFIED™ ac (continued)	
Short Guard Interval	
STBC	
SU beamformee	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx	
HT Duplicate Mode	
OBSS on Extension Channel	
Short Guard Interval	
STBC	