



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA127880**

#### **Product Info**

**Date of Certification** March 13, 2024

Company Intel

Product Name Intel® Wi-Fi 7 BE202 (Gig+)

Product Model Variant Win 11 - 23.0 - Mar24

Model Number BE202

**Category** Other

Sub-category Chipset

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2021-01

**Optimization** WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2022-06

WPA™-Enterprise WPA™-Personal





**Certification ID: WFA127880** 

Summary	of	Certificat	tions (	cont	inued)
Julilliai y	UI	oei iiiica	เเบเเอ	COIIL	IIIucu,

Page 2 of 5

**CLASSIFICATION** 

**CERTIFICATION** 

Spectrum & Regulatory

Spectrum & Regulatory

Features





**Certification ID: WFA127880** 

Role: Station		Page 3 of 5			
Wi-Fi Components					
Wi-Fi Component Operating System	RF Architecture				
Windows 11	Bands Supported	Transmit (Tx)	Receive (Rx)		
Wi-Fi Component Firmware	2.4 GHz	2	2		
23.0	5 GHz	2	2		
	6 GHz	2	2		
Certifications					
2.4 GHz Spectrum Capabilities	Spectrum & Regul	Spectrum & Regulatory (continued)			
20 MHz Channel Width in 2.4 GHz	802.11d				
40 MHz Channel Width in 2.4 GHz	802.11h				
5 GHz Spectrum Capabilities	WMM®				
20 MHz Channel Width in 5 GHz	WMM®-Power Sav	WMM®-Power Save			
40 MHz Channel Width in 5 GHz					
80 MHz Channel Width in 5 GHz  160 MHz Channel Width in 5 GHz	Legacy Power Save Unschedule auto PS				
	Chiconocale date 1 c				
6 GHz Spectrum Capabilities	WPA2™-Enterpris	e 2018-04			
20 MHz Channel Width in 6 GHz	EAP methods				
40 MHz Channel Width in 6 GHz	EAP TLS				
80 MHz Channel Width in 6 GHz	EAP TTLS				
160 MHz Channel Width in 6 GHz	PEAPv0				
Protected Management Frames	WPA2™-Personal	2021-01			
Spectrum & Regulatory	WPA3™-Enterpris	e 2022-12			



**Certification ID: WFA127880** 



Role: Station Page 4 of 5

#### WPA3<sup>™</sup>-Enterprise 2022-12 (continued)

EAP methods

**EAP TLS** 

**EAP TTLS** 

PEAPv0

192-bit security

192-bit security RSA 3K with the

TLS\_ECDHE\_RSA\_WITH\_AES\_256\_GCM\_SHA384

cipher suite

Fast Transition OTA on WPA3-Enterprise

Server Certificate Validation

#### WPA3<sup>™</sup>-Personal 2022-06

**Beacon Protection** 

#### **WPA™-Enterprise**

#### **WPA™-Personal**

#### Wi-Fi Agile Multiband™

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

Fast Transition OTA on WPA2-Enterprise

#### Wi-Fi CERTIFIED 6® Release 2 (continued)

LDPC Tx

LDPC Rx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

OM Control field Tx

OM subfield in A-Control field

Operating Mode indication

SU beamformee

SU-MIMO

**UL OFDMA** 

UL TB PPDU multi-tone

Wi-Fi 6E

Multiple M-BSSID

Wi-Fi 6 Release 2 features

UL MU-MIMO

**UL MU Control** 

**Broadcast Target Wake Time** 

Dynamic MU SMPS

M-BSSID control frames

Preamble Puncturing

#### Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL Mu PPDU multi-tone

HE NDP

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx





**Certification ID: WFA127880** 

**Role: Station** Page 5 of 5 Wi-Fi CERTIFIED™ ac (continued) Short Guard Interval STBC LDPC Tx SU beamformee Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n A-MPDU Tx **OBSS** on Extension Channel **Power Management** Short Guard Interval STBC Wi-Fi Enhanced Open™ 2021-01