



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA130454

Product Info

Date of Certification July 10, 2024

Company Askey Computer Corporation

Product Name Smart 5G Hub

Product Model Variant HH70C

Model Number HH70C

Category Routers

Sub-category Cable, DSL or Other Broadband Gateway (Integrated Home Access

Device)

Summary of Certifications

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

Wi-Fi Agile Multiband™

Wi-Fi EasyMesh™

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2023-12





Certification ID: WFA130454

Summary	of	Certificat	tions (cont	inued)
Julilliai y	UI	oei iiiica	เเบเเอ	COIIL	IIIucu,

Page 2 of 6

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features





Certification ID: WFA130454

Role: Access Point		Pa	age 3 of 6	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	4	4	
V01	5 GHz	4	4	
	6 GHz	4	4	
Certifications				
2.4 GHz Spectrum Capabilities	Spectrum & Regula	Spectrum & Regulatory (continued)		
20 MHz Channel Width in 2.4 GHz	802.11d			
40 MHz Channel Width in 2.4 GHz	802.11h			
5 GHz Spectrum Capabilities	WMM®			
20 MHz Channel Width in 5 GHz	WPA2™-Personal 2	2021-01		
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	WPA3™-Personal 2023-12			
160 MHz Channel Width in 5 GHz				
	AKM 24 Beacon Protection			
6 GHz Spectrum Capabilities				
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz	Wi-Fi Agile Multiba	nd™		
80 MHz Channel Width in 6 GHz	Automatically populate BSS Transition candidate list			
160 MHz Channel Width in 6 GHz 320 MHz channel width in 6 GHz				
	Wi-Fi CERTIFIED 60	R		
Protected Management Frames	4 antenna support			
Spectrum & Regulatory	A-MPDU with A-MSDU Basic Trigger frame in HE	MU PPDU		



Certification ID: WFA130454



Role: Access Point Page 4 of 6

Wi-Fi CERTIFIED 6® (continued)

BSRP Trigger frame

Co-located BSS

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

Basic Trigger frame in EHT MU PPDU

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

Compressed Block Ack Rx (buffer size 512)

Compressed Block Ack Tx (buffer size 512)

DL MU-MIMO

Wi-Fi CERTIFIED 7™ (continued)

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

EPCS (Emergency Preparedness Communications Services)

priority access

LDPC Rx

LDPC Tx

Load Balancing in MLO

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-link reconfiguration - AP removal

Multi-link reconfiguration - AP restart

Multi-RU

MU-RTS Trigger frame

Operating mode indication

Operating mode indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

Extended 5 GHz Channel Support

LDPC Rx





Certification ID: WFA130454

Role: Access Point	Page 5 of 6
Wi-Fi CERTIFIED™ ac (continued)	
LDPC Tx	
MCS 8-9 Rx	
RTS with BW Signaling	
Short Guard Interval	
STBC	
SU beamformer	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx	
HT Duplicate Mode	
OBSS on Extension Channel	
Short Guard Interval	
STBC	
Wi-Fi Enhanced Open™ 2023-12	
W-17 Emilanced Open 2020-12	
Wi-Fi Protected Setup™	
PIN	
Pushbutton	





Certification ID: WFA130454

Role: Controller	Page 6 of 6
Wi-Fi Components	
Wi-Fi Component Operating System	
Linux	
Certifications	
Wi-Fi EasyMesh™	