



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

**Certification ID: WFA130508** 

**Product Info** 

**Date of Certification** March 25, 2024

**Company** ZTE Corporation

Product Name Home Gateway

Product Model Variant ZXEN G100A

Model Number ZXEN G100A

**Category** Routers

**Sub-category** Cable, DSL or Other Broadband Gateway (Integrated Home Access

Device)

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

**Optimization** WMM®

Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™

Security Protected Management Frames

WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Personal 2023-12

WPA™-Personal





**Certification ID: WFA130508** 

| Role: Access Point | Page 2 of 4 |
|--------------------|-------------|
|                    |             |

Wi-Fi Components

**Wi-Fi Component Operating System** 

Linux

Wi-Fi Component Firmware

V1.0

#### **RF Architecture**

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|-----------------|---------------|--------------|
| 2.4 GHz         | 2             | 2            |
| 5 GHz           | 2             | 2            |

#### Certifications

#### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

#### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz

#### **Protected Management Frames**

**WMM®** 

WPA2™-Personal 2021-01

WPA3™-Personal 2023-12

WPA™-Personal

#### Wi-Fi CERTIFIED 6® (continued)

A-MPDU with A-MSDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-RTS Trigger frame

Operating Mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

**UL OFDMA** 

Wi-Fi Agile Multiband™ Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED 6®

Wi-Fi CERTIFIED™ ac





**Certification ID: WFA130508** 

| Role: Access Point                    | Page 3 of 4 |
|---------------------------------------|-------------|
| Wi-Fi CERTIFIED™ ac (continued)       |             |
| A-MPDU with A-MSDU                    |             |
| DL MU-MIMO                            |             |
| LDPC Rx                               |             |
| LDPC Tx                               |             |
| MCS 8-9 Rx                            |             |
| Short Guard Interval                  |             |
| STBC                                  |             |
| SU beamformer                         |             |
| Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g |             |
| Wi-Fi CERTIFIED™ n                    |             |
| A-MPDU Tx                             |             |
| OBSS on Extension Channel             |             |
| Short Guard Interval                  |             |
| STBC                                  |             |
|                                       |             |
| Wi-Fi Protected Setup™                |             |
| PIN                                   |             |
| Pushbutton                            |             |





**Certification ID: WFA130508** 

Role: Controller

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Certifications

Wi-Fi EasyMesh™