

# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

# **Certification ID: WFA130546**

### **Product Info**

**Date of Certification** March 26, 2024

Company Cisco Systems

Product Name Cisco Catalyst 9800 Cloud Wireless Controller and Cisco IW9165 AP

Product Model Variant Cisco IOS XE: 17.14

Model Number C9800-CL and IW9165

**Category** Routers

**Sub-category** Enterprise/Service Provider Access Point, Switch/Controller or Router

# **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Connectivity** 5 GHz Spectrum Capabilities

6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2021-01

**Optimization** WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2022-06

WPA™-Enterprise WPA™-Personal

Spectrum & Regulatory

**Features** 

Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate





Role: Access Point Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Linux, Version: 17.14

Wi-Fi Component Firmware

17.14

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

5 GHz 2 2

6 GHz 2 2

## **Certifications**

### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

### WMM®-Power Save (continued)

Legacy Power Save

Unschedule auto PS

### **6 GHz Spectrum Capabilities**

Standard power operation under AFC

20 MHz Channel Width in 6 GHz

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

160 MHz Channel Width in 6 GHz

# WPA2™-Enterprise 2018-04

EAP methods

### **Protected Management Frames**

### **Spectrum & Regulatory**

802.11d

802.11h

#### WPA2™-Personal 2021-01

### WPA3™-Enterprise 2022-12

EAP methods

192-bit security

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Fast Transition OTDS on WPA3-Enterprise

# WPA3™-Personal 2022-06

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Fast Transition OTDS on WPA3-Personal

## **WMM®**

#### **WMM®-Power Save**



# **Wi-Fi CERTIFIED™ Certificate**

Certification ID: WFA130546



## **Role: Access Point**

Page 3 of 3

#### **WPA™-Enterprise**

#### WPA™-Personal

### Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list

Fast Transition OTA on WPA2-Enterprise

Fast Transition OTA on WPA2-Personal

#### Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Co-located BSS

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating Mode indication

SU beamformer

SU-MIMO

**UL OFDMA** 

Wi-Fi 6E

Wi-Fi 6 Release 2 features

UL MU-MIMO

#### Wi-Fi CERTIFIED 6® Release 2 (continued)

**UL MU Control** 

**UL Extended Range** 

Target Wake Time information frames

Extended sleep

### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

Extended 5 GHz Channel Support

LDPC Rx

LDPC Tx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

STBC

SU beamformer

### Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS** on Extension Channel

Short Guard Interval

STBC

## Wi-Fi Enhanced Open™ 2021-01