



Wi-Fi CERTIFIED™ Certificate

This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs



Certification ID: WFA130549

Product Info

Date of Certification	March 27, 2024
Company	Zebra Technologies
Product Name	PS30
Product Model Variant	2024-03-26
Model Number	PS30
Category	Phones
Sub-category	Smartphone

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Passpoint® Release 3
Applications & Services	Voice-Enterprise
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2021-01
Optimization	WMM® WMM®-Admission Control WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi Optimized Connectivity™ 2020 Wi-Fi QoS Management™
Security	Protected Management Frames



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA130549



Summary of Certifications (continued)

Page 2 of 5

CLASSIFICATION

CERTIFICATION

Security

WPA2™-Enterprise 2018-04
WPA2™-Personal 2021-01
WPA3™-Enterprise 2022-12
WPA3™-Personal 2022-06
WPA™-Enterprise
WPA™-Personal

Spectrum & Regulatory Features

Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA130549



Role: Station

Page 3 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Android 13

Wi-Fi Component Firmware

1.1.5.0.319.3

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

160 MHz Channel Width in 6 GHz

Passpoint® Release 3

ANQP-element for OSU provider selection

Display and input method

Display of HS2.0 indication

Passpoint® Release 3 (continued)

Fast Transition OTA on WPA2-Enterprise

NAI Home Realm Query element

Network Information in network selection

Operating Class Indication

Roaming Consortium Selection

SIM credentials

Terms and Conditions

Private and secure terms and conditions

USIM Credentials

Venue Information

Private and secure Venue Information

Protected Management Frames

Spectrum & Regulatory

802.11d

802.11h

Voice-Enterprise

WMM®



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA130549



Role: Station

Page 4 of 5

WMM®-Admission Control

WMM®-Power Save

Legacy Power Save

Unschedule auto PS

WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
cipher suite

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Fast Transition OTDS on WPA3-Enterprise

Server Certificate Validation

WPA3™-Personal 2022-06

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Fast Transition OTDS on WPA3-Personal

SAE-Public Key

Operating Channel Validation

WPA™-Enterprise

WPA™-Personal

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Fast Transition OTA on WPA2-Personal

Fast Transition OTA on WPA2-Enterprise

Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL Mu PPDU multi-tone

HE NDP

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 10-11 Rx



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA130549



Role: Station

Page 5 of 5

Wi-Fi CERTIFIED 6® Release 2 (continued)

MCS 10-11 Tx
MCS 8-9 Rx
MCS 8-9 Tx
MU EDCA Parameter Set element
MU-BAR Trigger frame
MU-RTS Trigger frame
OM Control field Tx
OM subfield in A-Control field
Operating Mode indication
SU beamformee
SU-MIMO
UL OFDMA
UL TB PPDU multi-tone
Wi-Fi 6E
 Multiple M-BSSID
Wi-Fi 6 Release 2 features
 UL MU-MIMO
 UL MU Control
 Target Wake Time information frames
 Broadcast Target Wake Time
 M-BSSID control frames

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support
RTS with BW Signaling
A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
MCS 8-9 Rx
Short Guard Interval
STBC
LDPC Tx

Wi-Fi CERTIFIED™ ac (continued)

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx
OBSS on Extension Channel
Short Guard Interval
STBC

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi Optimized Connectivity™ 2020

Active Scan
Fast Transition OTA on WPA2-Enterprise
Pushbutton

Wi-Fi QoS Management™

Default DSCP to UP mapping
DSCP QoS Map
DSCP Policy
Mirrored Stream Classification Service
Stream Classification Service