



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

**Certification ID: WFA130556** 

### **Product Info**

**Date of Certification** March 27, 2024

**Company** ZTE Corporation

Product Name Wireless Router

Product Model Variant NH8091 V2

Model Number NH8091 V2

**Category** Routers

**Sub-category** Access Point for Home or Small Office (Wireless Router)

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

**Optimization** WMM®

WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™

Security Protected Management Frames

WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Personal 2022-06





**Certification ID: WFA130556** 

Role: Access Point	Page 2 of 4

#### Wi-Fi Components

**Wi-Fi Component Operating System** 

Linux5.4

Wi-Fi Component Firmware

WLAN.WBE.1.1-02061-QCAHKSWPL\_SILICONZ-1

#### **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	4	4
5 GHz	4	4

#### Certifications

#### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

#### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz

#### **Protected Management Frames**

#### **WMM®**

WMM®-Power Save

Unschedule auto PS

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi Agile Multiband™

#### Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating Mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

**UL OFDMA** 

#### Wi-Fi CERTIFIED™ a





**Certification ID: WFA130556** 

Role: Access Point	Page 3 of 4
Wi-Fi CERTIFIED™ ac	
A-MPDU with A-MSDU	
DL MU-MIMO	
LDPC Rx	
LDPC Tx	
MCS 8-9 Rx	
Short Guard Interval	
STBC	
SU beamformer	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx	
OBSS on Extension Channel	
Short Guard Interval	
STBC	
Wi-Fi Protected Setup™	
PIN	
Pushbutton	





**Certification ID: WFA130556** 

Role: Controller

Wi-Fi Components

Wi-Fi Component Operating System

Linux5.4

Certifications

Wi-Fi EasyMesh™