



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA130731

Product Info

Date of Certification April 5, 2024

Company Panasonic Automotive Systems Co., Ltd.

Product Name Car Audio System

Product Model Variant Source (Updated WPA3R3+WPA2)

Model Number CN-ST8DEAAJ

Category Other

Sub-category In-vehicle Network

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Miracast®

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2022-06

WPA™-Personal

Spectrum & Regulatory

Spectrum & Regulatory

Features



Certification ID: WFA130731



Role: Access Point	Page 2 of 6

Wi-Fi Components

Wi-Fi Component Operating System

Linux 4.14.75

Wi-Fi Component Firmware

17.68.1.p136

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11d

WMM®

WMM®-Power Save

Legacy Power Save Unschedule auto PS

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

STBC





Role:	Access Point	
Wi-Fi	i Protected Setup™	
PIN		
Pushbi	utton	





Role: Station		Pa	age 4 of 6
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Linux 4.14.75	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	1	1
17.68.1.p136	5 GHz	2	2
	3 0112	2	2
Certifications			
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED	тм а	
20 MHz Channel Width in 2.4 GHz	Wi-Fi CERTIFIED	™ ac	
5 GHz Spectrum Capabilities	A-MPDU with A-MSDU		
3 GHZ Opecitum Capabilities	LDPC Rx MCS 8-9 Rx		
20 MHz Channel Width in 5 GHz	Short Guard Interval		
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	STBC		
	LDPC Tx SU beamformee		
Protected Management Frames			
WMM®	Wi-Fi CERTIFIED	™ b	
WMM®-Power Save	Wi-Fi CERTIFIED	™ g	
Legacy Power Save	Wi-Fi CERTIFIED	™ n	
Unschedule auto PS	A-MPDU Tx		
	HT Duplicate Mode		
WPA2™-Personal 2021-01	OBSS on Extension Ch	nannel	
M/DA2TM Davaged 2000 OC	Power Management Short Guard Interval		
WPA3™-Personal 2022-06	STBC		
WPA™-Personal			





	P
Wi-Fi Protected Setup™	
PIN	
Pushbutton	





Role: Display Page 6 of 6		age 6 of 6	
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Linux 4.14.75	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware 17.68.1.p136	2.4 GHz	1	1
	5 GHz	2	2
Certifications Miracast® HDCP Encryption			