



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA111017**

## Product Info

<b>Date of Certification</b>	April 18, 2024
<b>Company</b>	Harman International Industries, Inc.
<b>Product Name</b>	INFO3.7-3.8 CSM
<b>Product Model Variant</b>	INFO3.8 CSM
<b>Model Number</b>	INFO3.7-3.8 CSM
<b>Category</b>	Other
<b>Sub-category</b>	In-vehicle Network

## Summary of Certifications

<b>CLASSIFICATION</b>	<b>CERTIFICATION</b>
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
<b>Optimization</b>	WMM®
<b>Security</b>	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal WPA™-Personal



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA111017



Role: Access Point

Page 2 of 3

## Wi-Fi Components

### Wi-Fi Component Operating System

Android 12

### Wi-Fi Component Firmware

17.68.117.p2

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

### Protected Management Frames

### WMM®

Max Throughput

### WPA2™-Personal

### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

### Wi-Fi CERTIFIED™ ac (continued)

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

A-MPDU Tx



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA111017



Role: Station

Page 3 of 3

## Wi-Fi Components

### Wi-Fi Component Operating System

Android 12

### Wi-Fi Component Firmware

17.68.117.p2

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz

### Protected Management Frames

### WMM®

Max Throughput

### WPA2™-Enterprise 2018-04

EAP methods  
EAP TLS

### WPA2™-Personal

### WPA™-Personal

### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU  
LDPC Rx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
LDPC Tx  
SU beamformee

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

STBC  
A-MPDU Tx  
HT Duplicate Mode  
OBSS on Extension Channel  
Power Management  
Short Guard Interval