



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA127880**

## Product Info

<b>Date of Certification</b>	August 5, 2024
<b>Company</b>	Intel
<b>Product Name</b>	Intel® Wi-Fi 7 BE202 (Gig+)
<b>Product Model Variant</b>	Win11 - 23.70
<b>Model Number</b>	BE202
<b>Category</b>	Other
<b>Sub-category</b>	Chipset

## Summary of Certifications

<b>CLASSIFICATION</b>	<b>CERTIFICATION</b>
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2023-12
<b>Optimization</b>	WMM® WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi QoS Management™
<b>Security</b>	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2023-12



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127880



## Summary of Certifications (continued)

Page 2 of 5

### CLASSIFICATION

### CERTIFICATION

Spectrum & Regulatory  
Features

Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127880



Role: Station

Page 3 of 5

## Wi-Fi Components

### Wi-Fi Component Operating System

Windows 11

### Wi-Fi Component Firmware

23.70

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### Spectrum & Regulatory (continued)

802.11d  
802.11h

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz  
160 MHz Channel Width in 5 GHz

### WMM®

### WMM®-Power Save

Legacy Power Save  
Unschedule auto PS

### 6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz  
40 MHz Channel Width in 6 GHz  
80 MHz Channel Width in 6 GHz  
160 MHz Channel Width in 6 GHz

### WPA2™-Enterprise 2018-04

EAP methods  
EAP TLS  
EAP TTLS  
PEAPv0

### Protected Management Frames

### WPA2™-Personal 2021-01

### Spectrum & Regulatory

### WPA3™-Enterprise 2022-12



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127880



Role: Station

Page 4 of 5

## WPA3™-Enterprise 2022-12 (continued)

EAP methods  
EAP TLS  
EAP TTLS  
PEAPv0  
192-bit security  
192-bit security RSA 3K with the  
TLS\_ECDHE\_RSA\_WITH\_AES\_256\_GCM\_SHA384  
cipher suite  
Fast Transition OTA on WPA3-Enterprise  
Fast Transition OTA on WPA3-Enterprise transition mode  
Server Certificate Validation

## WPA3™-Personal 2023-12

AKM 24  
Beacon Protection

## Wi-Fi Agile Multiband™

Beacon Report Measurement Active Mode  
Beacon Report Measurement Passive Mode  
Fast Transition OTA on WPA2-Enterprise

## Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU  
Beamforming sounding  
BSRP Trigger frame  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
DL MU-MIMO  
DL MU PPDU multi-tone  
HE NDP  
LDPC Tx  
LDPC Rx

## Wi-Fi CERTIFIED 6® Release 2 (continued)

Individual Target Wake Time  
MCS 10-11 Rx  
MCS 10-11 Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
MU-RTS Trigger frame  
Operating mode control field  
Operating mode subfield in A-Control field  
Operating mode indication  
SU beamformee  
SU-MIMO  
UL OFDMA  
UL TB PPDU multi-tone  
Wi-Fi 6E  
Multiple M-BSSID  
Wi-Fi 6 Release 2 features  
UL MU-MIMO  
UL MU Control  
Target Wake Time information frames  
Broadcast Target Wake Time  
Dynamic MU SMPS  
M-BSSID control frames  
Preamble Puncturing

## Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping  
A-MPDU with A-MSDU  
Beamforming sounding  
BSS critical update  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
Compressed Block Ack Rx (buffer size 512)



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA127880



Role: Station

Page 5 of 5

## Wi-Fi CERTIFIED 7™ (continued)

Compressed Block Ack Tx (buffer size 512)  
DL MU-MIMO  
Dynamic MU SMPS  
EMLSR (Enhanced Multilink Single-Radio)  
LDPC Rx  
LDPC Tx  
Load Balancing in MLO  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
Multi-link reconfiguration – AP removal  
Multi-link reconfiguration – AP restart  
Multi-RU  
Operating mode indication  
Static puncturing  
SU-MIMO  
Triggered uplink access optimization  
UL MU-MIMO  
UL OFDMA

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support  
A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
LDPC Tx  
SU beamformee

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

A-MPDU Tx  
OBSS on Extension Channel  
Power Management  
Short Guard Interval  
STBC

## Wi-Fi Enhanced Open™ 2023-12

## Wi-Fi QoS Management™

Default DSCP to UP mapping  
DSCP QoS Map  
Mirrored Stream Classification Service