



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA129382

Product Info

Date of Certification April 18, 2024

Company Reliance Communications

Product Name Orbic Trophy 5G UW

Product Model Variant R667L5

Model Number R667L5U

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2022-06

WPA™-Enterprise WPA™-Personal



Certification ID: WFA129382



Role: Access Point Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android 13

Wi-Fi Component Firmware

3.3.2.0.495.0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ ac (continued)

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Protected Management Frames

WMM®

WMM®-Power Save

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval

STBC

A-MPDU Tx



Certification ID: WFA129382



Role: Station Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android 13

Wi-Fi Component Firmware

3.3.2.0.495.0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities WPA2™-Enterprise 2018-04 (continued)

20 MHz Channel Width in 2.4 GHz

40 MHz Channel Width in 2.4 GHz

PEAPv0

PEAPv1

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WMM®-Power Save

villing i outer dave

WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

WPA3™-Personal 2022-06

WPA™-Enterprise

WPA™-Personal

Wi-Fi CERTIFIED™ a





Certification ID: WFA129382

Role: Station	Page 4 of 4
Wi-Fi CERTIFIED™ ac	
A-MPDU with A-MSDU	
DL MU-MIMO	
LDPC Rx	
MCS 8-9 Rx	
Short Guard Interval	
STBC	
LDPC Tx	
SU beamformee	
Wi-Fi CERTIFIED™ b	
W; E; CERTIFIED™ «	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
Wi-Fi CERTIFIED™ n A-MPDU Tx	
Wi-Fi CERTIFIED™ n	
Wi-Fi CERTIFIED™ n A-MPDU Tx OBSS on Extension Channel	
Wi-Fi CERTIFIED™ n A-MPDU Tx OBSS on Extension Channel Short Guard Interval	
Wi-Fi CERTIFIED™ n A-MPDU Tx OBSS on Extension Channel Short Guard Interval	
Wi-Fi CERTIFIED™ n A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC Wi-Fi Direct®	
Wi-Fi CERTIFIED™ n A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC	
Wi-Fi CERTIFIED™ n A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC Wi-Fi Direct®	