



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

**Certification ID: WFA130835** 

# **Product Info**

Date of Certification September 24, 2024

Company TP-Link Systems Inc.

**Product Name**Ceiling Mount Wi-Fi 7 Access Point

Product Model Variant EAP773

Model Number EAP773

**Category** Routers

**Sub-category** Enterprise/Service Provider Access Point, Switch/Controller or Router

# **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2023-12





2

2

**Certification ID: WFA130835** 

Role: Access Point	Page 2 of 4		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Linux 5.4	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	2	2
V1		_	_

5 GHz

6 GHz

WPA2™-Enterprise 2018-04 (continued)	
EAP methods	
WPA2™-Personal 2021-01	
WPA3™-Enterprise 2022-12	
WFA3 -Linesprise 2022-12	
EAP methods	
WPA3™-Personal 2023-12	

#### **6 GHz Spectrum Capabilities**

20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz

### **Protected Management Frames**

**WMM®** 

WPA2™-Enterprise 2018-04

AKM 24 Beacon Protection

### Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list

2

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU



**Certification ID: WFA130835** 



Role: Access Point Page 3 of 4

#### Wi-Fi CERTIFIED 6® (continued)

Basic Trigger frame in HE MU PPDU

Beamforming sounding

BSRP Trigger frame

Co-located BSS

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode indication

SU-MIMO

TXOP RTS Threshold

**UL OFDMA** 

Wi-Fi 6E

#### Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

## Wi-Fi CERTIFIED 7™ (continued)

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

Multi-RU

MU-RTS Trigger frame

Operating mode indication

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

**UL OFDMA** 

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS** on Extension Channel

Short Guard Interval





**Certification ID: WFA130835** 

Role: Access Point
Wi-Fi CERTIFIED™ n (continued)
STBC
Wi-Fi Enhanced Open™ 2023-12