



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA130858

Product Info

Date of Certification April 22, 2024

Company ZTE Corporation

Product Name Home Gateway

Product Model Variant ZXEN G1660-1

Model Number ZXEN G1660-1

Category Routers

Sub-category Cable, DSL or Other Broadband Gateway (Integrated Home Access

Device)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2023-12

WPA™-Personal





Certification ID: WFA130858

| Role: Access Point | Page 2 of 4 |
|-----------------------|---------------------|
| 1101017100000 1 01111 | 1 ago = 01 1 |

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

V1.0

RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|-----------------|---------------|--------------|
| 2.4 GHz | 2 | 2 |
| 5 GHz | 2 | 2 |

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

.....

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2023-12

WPA™-Personal

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

Wi-Fi CERTIFIED 6® (continued)

A-MPDU with A-MSDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-RTS Trigger frame

Operating Mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac





Certification ID: WFA130858

| Role: Access Point |
|---------------------------------|
| Wi-Fi CERTIFIED™ ac (continued) |
| A-MPDU with A-MSDU |
| DL MU-MIMO |
| LDPC Rx |
| LDPC Tx |
| MCS 8-9 Rx |
| Short Guard Interval |
| STBC |
| SU beamformer |
| |
| Wi-Fi CERTIFIED™ b |
| |
| Wi-Fi CERTIFIED™ g |
| Wi-Fi CERTIFIED™ n |
| A-MPDU Tx |
| OBSS on Extension Channel |
| Short Guard Interval |
| STBC |
| |
| Wi-Fi Protected Setup™ |
| PIN |
| Pushbutton |





Certification ID: WFA130858

Role: Controller

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Certifications

Wi-Fi EasyMesh™