



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA130860**

## Product Info

<b>Date of Certification</b>	July 12, 2024
<b>Company</b>	TP-Link Corporation PTE. LTD.
<b>Product Name</b>	BE9300 Tri-Band Wi-Fi 7 Router
<b>Product Model Variant</b>	Archer BE9300
<b>Model Number</b>	Archer BE550
<b>Category</b>	Routers
<b>Sub-category</b>	Access Point for Home or Small Office (Wireless Router)

## Summary of Certifications

CLASSIFICATION	CERTIFICATION
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2023-12
<b>Optimization</b>	WMM® Wi-Fi Agile Multiband™
<b>Security</b>	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2023-12



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA130860



Role: Access Point

Page 2 of 3

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

1.0

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### WPA3™-Personal 2023-12

AKM 24  
Beacon Protection

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz

### Wi-Fi Agile Multiband™

### Wi-Fi CERTIFIED 6® Release 2

Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
DL OFDMA  
Individual Target Wake Time  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
Operating mode indication  
SU-MIMO  
UL OFDMA  
Wi-Fi 6 Release 2 features  
Dynamic MU SMPS

### 6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz  
40 MHz Channel Width in 6 GHz  
80 MHz Channel Width in 6 GHz  
160 MHz Channel Width in 6 GHz  
320 MHz channel width in 6 GHz

### Protected Management Frames

### WMM®

### WPA2™-Personal 2021-01

### Wi-Fi CERTIFIED 7™



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA130860



Role: Access Point

Page 3 of 3

## Wi-Fi CERTIFIED 7™ (continued)

BSS critical update  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
Compressed Block Ack Rx (buffer size 512)  
Compressed Block Ack Tx (buffer size 512)  
DL OFDMA  
Dynamic MU SMPS  
EMLSR (Enhanced Multilink Single-Radio)  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
Multi-RU  
Operating mode indication  
Static puncturing  
STR (Simultaneous Transmit and Receive)  
SU-MIMO  
Triggered uplink access optimization  
UL OFDMA

## Wi-Fi CERTIFIED™ n (continued)

A-MPDU Tx  
OBSS on Extension Channel  
Short Guard Interval

## Wi-Fi Enhanced Open™ 2023-12

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
RTS with BW Signaling  
Short Guard Interval

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n