



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA127021

Product Info

Date of Certification April 24, 2024

Company Motorola Mobility LLC

Product Name XT2307-1

Product Model Variant XT2307-1 (Android 14)

Model Number XT2307-1

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04





Certification ID: WFA127021

Summary of Certifications (continued)

Page 2 of 7

CLASSIFICATION CERTIFICATION

Security WPA2[™]-Personal 2021-01

WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2022-06

WPA™-Enterprise WPA™-Personal



Certification ID: WFA127021



Role: Access Point	Page 3 of 7

Wi-Fi Components

Wi-Fi Component Operating System

Android U

Wi-Fi Component Firmware

FIGEAC_SOC7_0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® (continued)

20 MHz Channel Width in 2.4 GHz

MCS 10-11 Rx MCS 10-11 Tx

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06 Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

LDPC Rx

WMM®

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

STBC





Certification ID: WFA127021

tole: Access Point	
Wi-Fi CERTIFIED™ n (continued)	
A-MPDU Tx	





Certification ID: WFA127021

Role: Station		P	age 5 of 7		
Wi-Fi Components					
Wi-Fi Component Operating System	RF Architecture	RF Architecture			
Android U	Bands Supported	Transmit (Tx)	Receive (Rx)		
Wi-Fi Component Firmware	2.4 GHz	2	2		
FIGEAC_SOC7_0	5 GHz	2	2		
	6 GHz	2	2		
Certifications					
2.4 GHz Spectrum Capabilities	WMM®-Power Sa	WMM®-Power Save			
20 MHz Channel Width in 2.4 GHz	Unschedule auto PS	Unschedule auto PS			
5 GHz Spectrum Capabilities	WPA2™-Enterpr	WPA2™-Enterprise 2018-04			
20 MHz Channel Width in 5 GHz	EAP methods				
40 MHz Channel Width in 5 GHz	EAP AKA Brime				
80 MHz Channel Width in 5 GHz	EAP AKA Prime EAP SIM				
	EAP TLS				
6 GHz Spectrum Capabilities	EAP TTLS	EAP TTLS			
20 MHz Channel Width in 6 GHz	PEAPv0 PEAPv1	PEAPv0			
40 MHz Channel Width in 6 GHz	PEAPVI				
80 MHz Channel Width in 6 GHz	WPA2™-Persona	WPA2™-Personal 2021-01			
Protected Management Frames	WPA3™-Enterpr	ise 2020 - 02			
Voice-Enterprise		100 1010 01			
Voice-Enterprise	EAP methods				
WMM®	EAP AKA EAP AKA Prime	EAP AKA FAP AKA Prime			
	EAP SIM				
WMM®-Admission Control	EAP TLS				





Certification ID: WFA127021

Role: Station Page 6 of 7

WPA3™-Enterprise 2020-02 (continued)

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

WPA3™-Personal 2022-06

WPA™-Enterprise

WPA™-Personal

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL Mu PPDU multi-tone

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 10-11 Rx

MCS 10-11 Tx

Wi-Fi CERTIFIED 6® (continued)

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

OM subfield in A-Control field

Operating Mode indication

SU beamformee

SU-MIMO

UL OFDMA

UL TB PPDU multi-tone

Wi-Fi 6E

Multiple M-BSSID

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx





Certification ID: WFA127021

ole: Station	Page 7 of 7
Wi-Fi CERTIFIED™ n (continued)	
OBSS on Extension Channel	
Power Management	
Short Guard Interval	
STBC	
Wi-Fi Direct®	
Wi-Fi Enhanced Open™ 2021-01	
Wi-Fi Protected Setup™	
PIN	
Pushbutton	