

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA131012

Product Info

Date of Certification	May 2, 2024
Company	Intelbras
Product Name	INTELBRAS AP 5620XDE WLAN AP
Product Model Variant	INTELBRAS WLAN AP 5620XDE
Model Number	AP 5620XDE
Category	Routers
Sub-category	Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® WMM®-Power Save Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2020-02 WPA3™-Personal 2020-12
Spectrum & Regulatory Features	Spectrum & Regulatory



Wi-Fi CERTIFIED[™] Certificate Certification ID: WFA131012



Role: Access Point	Pa	age 2 of 3	
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Proprietary / Other, version:V700R001, description:Comware	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	2	2
V700R001	5 GHz	2	2
Certifications			
2.4 GHz Spectrum Capabilities	WPA2™-Enterpris	e 2018-04	
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	EAP methods		
5 GHz Spectrum Capabilities	WPA2™-Personal	2021-01	
	WPA3™-Enterprise 2020-02		
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	EAP methods		
80 MHz Channel Width in 5 GHz	192-bit security		
Protected Management Frames	WPA3™-Personal	2020-12	
Spectrum & Regulatory	Wi-Fi Agile Multiband™		
802.11d	Automatically populate BSS Transition candidate list		
802.11h	Cellular Data aware		
WMM®	Wi-Fi CERTIFIED (ß®	
WMM®-Power Save	A-MPDU with A-MSDU		
Legacy Power Save	Basic Trigger frame in H BSRP Trigger frame	E MU PPDU	
Unschedule auto PS	Compressed Block Ack	Rx (buffer size 256)	



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA131012



Page 3 of 3

Role: Access Point

Wi-Fi CERTIFIED 6® (continued)

Compressed Block Ack Tx (buffer size 256) DL MU-MIMO DL OFDMA Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element MU-BAR Trigger frame MU-RTS Trigger frame M-BSSID Operating mode indication SU beamformer **TXOP RTS Threshold** UL OFDMA

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling A-MPDU with A-MSDU DL MU-MIMO LDPC Rx LDPC Tx MCS 8-9 Rx Short Guard Interval STBC SU beamformer

Wi-Fi CERTIFIED™ b