



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## Certification ID: WFA128501

## **Product Info**

Date of Certification	May 7, 2024
Company	LIMNO Co., Ltd.
Product Name	SPU-A06L-LW
Product Model Variant	SPU-A06L-LWG
Model Number	SPU-A06L-LW
Category	Tablets, Ereaders & Cameras
Sub-category	Tablet (Wi-Fi and other)

### **Summary of Certifications**

CLASSIFICATION	CERTIFICATION
Access	Passpoint® Release 3 Wi-Fi Protected Setup™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct®
Optimization	WMM®
Security	Protected Management Frames WPA2 <sup>™</sup> -Enterprise 2018-04 WPA2 <sup>™</sup> -Personal 2021-01 WPA3 <sup>™</sup> -Enterprise 2022-12 WPA3 <sup>™</sup> -Personal 2022-06
Spectrum & Regulatory Features	Spectrum & Regulatory



Certification ID: WFA128501



Role: Access Point		Page 2 of 4		
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware 3.3.7.1.458.0	2.4 GHz	1	1	
	5 GHz	1	1	

### Certifications

#### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

### **Protected Management Frames**

WMM®

WPA2<sup>™</sup>-Personal 2021-01

WPA3<sup>™</sup>-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx

### Wi-Fi CERTIFIED™ ac (continued)

LDPC Tx MCS 8-9 Rx RTS with BW Signaling Short Guard Interval

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval A-MPDU Tx



**Certification ID: WFA128501** 



Role: Station		Page 3 of 4		
Wi-Fi Components				
Wi-Fi Component Operating System	<b>RF</b> Architecture	RF Architecture		
Android <b>Wi-Fi Component Firmware</b> 3.3.7.1.458.0	Bands Supported	Transmit (Tx)	Receive (Rx)	
	2.4 GHz	1	1	
	5 GHz	1	1	
Certifications				
2.4 GHz Spectrum Capabilities	Spectrum & Regulatory (continued)			
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	802.11d 802.11h			
5 GHz Spectrum Capabilities	WMM®			
20 MHz Channel Width in 5 GHz	WPA2™-Enterprise 2018-04			
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	EAP methods			
	EAP TLS			
Passpoint® Release 3	EAP TTLS PEAPv0			
	PEAPv1			
Display and input method Display of HS2.0 indication				
Network Information in network selection	WPA2™-Persona	l 2021-01		
Roaming Consortium Selection				
Terms and Conditions	WPA3™-Enterpri	se 2022-12		
Private and secure terms and conditions Venue Information	EAP methods			
Private and secure Venue Information	EAP methods EAP TLS			
	EAP TTLS			
	PEAPv0			
Protected Management Frames	PEAPv1			
Spectrum & Regulatory	Server Certificate Valid	ation		



**Certification ID: WFA128501** 



## **Role: Station**

## Page 4 of 4

WPA3<sup>™</sup>-Personal 2022-06

### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

RTS with BW Signaling		
A-MPDU with A-MSDU		
DL MU-MIMO		
LDPC Rx		
MCS 8-9 Rx		
Short Guard Interval		
STBC		
LDPC Tx		
SU beamformee		

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC

### Wi-Fi Direct®

Wi-Fi Direct with WPA2

### Wi-Fi Protected Setup™

PIN Pushbutton