



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA131058

Product Info

Date of Certification October 1, 2024

Company SoftBank Corporation

Product Name 10G E-WMTA1.0

Product Model Variant 10G E-WMTA1.0

Model Number EVO310G

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2023-12



Certification ID: WFA131058



Summary of Certifications (continued)

Page 2 of 6

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features



Spectrum & Regulatory

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA131058



Role: Access Point			Page 3 of 6	
Vi-Fi Components				
Wi-Fi Component Operating System Linux Wi-Fi Component Firmware 10g-ewmta1.0.v1003.010102c.20240521	RF Architecture			
	Bands Supported	Transmit (Tx)	Receive (Rx)	
	2.4 GHz	4	4	
	5 GHz	4	4	
	6 GHz	4	4	
Certifications				
2.4 GHz Spectrum Capabilities	Spectrum & Regu	Spectrum & Regulatory (continued)		
20 MHz Channel Width in 2.4 GHz	802.11d			
40 MHz Channel Width in 2.4 GHz	802.11h			
5 GHz Spectrum Capabilities	WMM®			
20 MHz Channel Width in 5 GHz	WPA2™-Personal 2021-01			
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	WPA2TM Persona	WPA3™-Personal 2023-12		
160 MHz Channel Width in 5 GHz	WPA5 ··· FeISOIIa	1 2023-12		
	AKM 24			
6 GHz Spectrum Capabilities	Beacon Protection			
20 MHz Channel Width in 6 GHz	Wi-Fi Agile Multib	and™		
40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	Wi Ei CERTIEIER	6 0		
160 MHz Channel Width in 6 GHz	Wi-Fi CERTIFIED	018		
320 MHz channel width in 6 GHz	4 antenna support			
	A-MPDU with A-MSDU			
Protected Management Frames	Basic Trigger frame in I	HE MU PPDU		
	BSRP Trigger frame			

DL MU-MIMO

DL OFDMA



Certification ID: WFA131058



Role: Access Point Page 4 of 6

Wi-Fi CERTIFIED 6® (continued)

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Wi-Fi CERTIFIED 7™ (continued)

MCS 12-13 Rx

MCS 12-13 Tx

Multi-link reconfiguration - AP removal

Multi-link reconfiguration - AP restart

Multi-RU

MU-RTS Trigger frame

Operating mode indication

Operating mode indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping

A-MPDU with A-MSDU

BSRP Trigger frame

BSS critical update

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx



Certification ID: WFA131058



Role: Access Point

Wi-Fi CERTIFIED™ n (continued)

A-MPDU Tx

HT Duplicate Mode
OBSS on Extension Channel
Short Guard Interval
STBC

Wi-Fi Enhanced Open™ 2023-12

Wi-Fi Protected Setup™

PIN
Pushbutton



Certification ID: WFA131058



Role: Controller

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Certifications

Wi-Fi EasyMesh™