



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA131091

Product Info

| Date of Certification | July 10, 2024 | |
|-----------------------|-------------------------------|--|
| Company | MediaTek Inc. | |
| Product Name | Mediatek Filogic 320 - MT7920 | |
| Product Model Variant | Wi-Fi 6 | |
| Model Number | Mediatek Filogic 320 - MT7920 | |
| Category | Computers & Accessories | |
| Sub-category | Laptop Computer | |

Summary of Certifications

| CERTIFICATION |
|---|
| Wi-Fi Protected Setup™ |
| 2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED [™] a Wi-Fi CERTIFIED [™] b Wi-Fi CERTIFIED [™] b Wi-Fi CERTIFIED [™] g Wi-Fi CERTIFIED [™] n Wi-Fi Direct® Wi-Fi Enhanced Open [™] 2023-12 |
| WMM® WMM®-Power Save Wi-Fi Agile Multiband™ |
| Protected Management Frames WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2022-12 WPA3 [™] -Personal 2023-12 |
| |



Certification ID: WFA131091



Summary of Certifications (continued)Page 2 of 4CLASSIFICATIONCERTIFICATIONSpectrum & Regulatory
FeaturesSpectrum & Regulatory



Certification ID: WFA131091



| Role: Station | Page 3 of 4 | | | |
|---|---|---|------------------------|--|
| Wi-Fi Components Wi-Fi Component Operating System | RF Architecture | | | |
| Windows Wi-Fi Component Firmware Windows11 | Bands Supported 2.4 GHz 5 GHz | Transmit (Tx) 2 2 | Receive (Rx) 2 2 | |
| Certifications | | | | |
| 2.4 GHz Spectrum Capabilities | WPA2™-Enterprise 2018-04 | | | |
| 20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz | EAP methods EAP TLS EAP TTLS | | | |
| 5 GHz Spectrum Capabilities | PEAPv0 | | | |
| 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz | WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 | | | |
| Protected Management Frames | EAP methods EAP TLS EAP TTLS | | | |
| Spectrum & Regulatory | PEAPv0 | | | |
| 802.11d 802.11h | 192-bit security RSA | 192-bit security 192-bit security RSA 3K with the TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite | | |
| WMM® | Fast Transition OTA on WPA3-Enterprise Server Certificate Validation | | | |
| WMM®-Power Save | WPA3™-Personal | 2023-12 | | |
| Unschedule auto PS | Wi-Fi Agile Multiba | and™ | | |



Certification ID: WFA131091



Page 4 of 4

Role: Station

Wi-Fi Agile Multiband[™] (continued)

Fast Transition OTA on WPA2-Enterprise

Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU **BSRP** Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO DL MU PPDU multi-tone LDPC Tx LDPC Rx Individual Target Wake Time MCS 10-11 Rx MCS 10-11 Tx MCS 8-9 Rx MCS 8-9 Tx MU EDCA Parameter Set element MU-BAR Trigger frame MU-RTS Trigger frame Operating mode subfield in A-Control field SU beamformee SU-MIMO **UL OFDMA** UL TB PPDU multi-tone Wi-Fi 6 Release 2 features UL MU-MIMO UL Extended Range Target Wake Time information frames Extended sleep time Dynamic MU SMPS Preamble Puncturing

Wi-Fi CERTIFIED™ a

Extended 5 GHz Channel Support RTS with BW Signaling A-MPDU with A-MSDU DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval STBC LDPC Tx SU beamformee

Wi-Fi CERTIFIED[™] ac

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel Short Guard Interval STBC

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2023-12

Wi-Fi Protected Setup™

PIN

Pushbutton