

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA131102

Product Info

Date of Certification	July 22, 2024
Company	Katim L.L.C.
Product Name	KATIM X3M
Product Model Variant	EVT 1.1
Model Number	DP103
Category	Phones
Sub-category	Smartphone

Summary of Certifications

CERTIFICATION
2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi CERTIFIED™ n
WMM® Wi-Fi Agile Multiband™
Protected Management Frames WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2022-12 WPA3 [™] -Personal 2023-12



Wi-Fi CERTIFIED[™] Certificate Certification ID: WFA131102



Role: Access Point	Pa	age 2 of 5	
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android 13	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware HMT.1	2.4 GHz	2	2
	5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED 6® (continued)

LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx SU beamformer TXOP RTS Threshold

Wi-Fi CERTIFIED™ a

Protected Management Frames

WMM®

WPA2[™]-Personal 2021-01

WPA3[™]-Personal 2023-12

Wi-Fi CERTIFIED 6®

Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) LDPC Rx

Wi-Fi CERTIFIED™ ac

LDPC Rx LDPC Tx MCS 8-9 Rx RTS with BW Signaling Short Guard Interval STBC SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

This certificate was downloaded on 2025-01-15 at 12:41:36 UTC



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA131102



Role: Access Point

Page 3 of 5

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval STBC A-MPDU Tx

Wi-Fi Enhanced Open[™] 2023-12



Wi-Fi CERTIFIED[™] Certificate Certification ID: WFA131102



Role: Station Page 4 of 5 **Wi-Fi Components** Wi-Fi Component Operating System **RF** Architecture Android 13 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 2 2 HMT.1 5 GHz 2 2 6 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04 (continued)
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	EAP methods EAP TLS EAP TTLS PEAPv0
5 GHz Spectrum Capabilities	PEAPv1
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	WPA2™-Personal 2021-01
160 MHz Channel Width in 5 GHz	WPA3 [™] -Enterprise 2022-12
6 GHz Spectrum Capabilities 20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz	EAP TLS EAP TLS PEAPv0 PEAPv1 192-bit security Server Certificate Validation
Protected Management Frames	WPA3™-Personal 2023-12
WMM®	Wi-Fi Agile Multiband™
WPA2™-Enterprise 2018-04	



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA131102



Role: Station

Page 5 of 5

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU BSRP Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO DL MU PPDU multi-tone LDPC Tx LDPC Rx Individual Target Wake Time MCS 10-11 Rx MCS 10-11 Tx MCS 8-9 Rx MCS 8-9 Tx MU EDCA Parameter Set element **MU-BAR Trigger frame** MU-RTS Trigger frame Operating mode control field Operating mode subfield in A-Control field SU beamformee SU-MIMO **UL OFDMA** UL TB PPDU multi-tone Wi-Fi 6E Multiple M-BSSID

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling A-MPDU with A-MSDU DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval

Wi-Fi CERTIFIED™ ac (continued)

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC

Wi-Fi Enhanced Open™ 2023-12