# Wi-Fi CERTIFIED™ Certificate

This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## Certification ID: WFA131189

## Product Info

| | |
|---|---|
| **Date of Certification** | May 17, 2024 |
| **Company** | ZTE Corporation |
| **Product Name** | Home Gateway |
| **Product Model Variant** | ZXEN G100P-N3 |
| **Model Number** | ZXEN G100P-N3 |
| **Category** | Routers |
| **Sub-category** | Cable, DSL or Other Broadband Gateway (Integrated Home Access Device) |

## Summary of Certifications

| CLASSIFICATION | CERTIFICATION |
|---|---|
| Access | Wi-Fi Protected Setup™ |
| Connectivity | 2.4 GHz Spectrum Capabilities<br>5 GHz Spectrum Capabilities<br>Wi-Fi CERTIFIED 6®<br>Wi-Fi CERTIFIED™ a<br>Wi-Fi CERTIFIED™ ac<br>Wi-Fi CERTIFIED™ b<br>Wi-Fi CERTIFIED™ g<br>Wi-Fi CERTIFIED™ n |
| Optimization | WMM®<br>Wi-Fi Agile Multiband™<br>Wi-Fi EasyMesh™ |
| Security | Protected Management Frames<br>WPA2™-Personal 2021-01<br>WPA3™-Personal 2023-12 |

# Wi-Fi CERTIFIED™ Certificate

## Certification ID: WFA131189

## Wi-Fi Components

### Wi-Fi Component Operating System
Linux

### Wi-Fi Component Firmware
V1.0

### RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|---|---|---|
| 2.4 GHz | 2 | 2 |
| 5 GHz | 2 | 2 |

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz
160 MHz Channel Width in 5 GHz

### Protected Management Frames

### WMM®

### WPA2™-Personal 2021-01

### WPA3™-Personal 2023-12

### Wi-Fi Agile Multiband™

### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

### Wi-Fi CERTIFIED 6® (continued)

BSRP Trigger frame
Compressed Block Ack Rx (buffer size 256)
Compressed Block Ack Tx (buffer size 256)
DL MU-MIMO
DL OFDMA
Individual Target Wake Time
LDPC Rx
LDPC Tx
MCS 8-9 Rx
MCS 8-9 Tx
MCS 10-11 Rx
MCS 10-11 Tx
MU EDCA Parameter Set element
MU-RTS Trigger frame
Operating mode indication
SU beamformer
SU-MIMO
TXOP RTS Threshold
UL OFDMA

### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ ac

### Wi-Fi CERTIFIED™ ac (continued)

A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
LDPC Tx
MCS 8-9 Rx
Short Guard Interval
STBC
SU beamformer

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

A-MPDU Tx
OBSS on Extension Channel
Short Guard Interval
STBC

### Wi-Fi Protected Setup™

PIN
Pushbutton

# Wi-Fi CERTIFIED™ Certificate

## Certification ID: WFA131189

### Wi-Fi Components

**Wi-Fi Component Operating System**

Linux

### Certifications

**Wi-Fi EasyMesh™**