



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA126059**

## Product Info

<b>Date of Certification</b>	July 22, 2024
<b>Company</b>	MediaTek Inc.
<b>Product Name</b>	MediaTek Filogic 380 - MT7927
<b>Product Model Variant</b>	WiFi7
<b>Model Number</b>	MediaTek Filogic 380 - MT7927
<b>Category</b>	Other
<b>Sub-category</b>	Reference Design

## Summary of Certifications

<b>CLASSIFICATION</b>	<b>CERTIFICATION</b>
<b>Access</b>	Wi-Fi Protected Setup™
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® Wi-Fi Enhanced Open™ 2023-12
<b>Optimization</b>	WMM® WMM®-Power Save Wi-Fi Agile Multiband™
<b>Security</b>	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA126059



## Summary of Certifications (continued)

Page 2 of 5

CLASSIFICATION	CERTIFICATION
Security	WPA3™-Personal 2023-12
Spectrum & Regulatory Features	Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA126059



Role: Station

Page 3 of 5

## Wi-Fi Components

### Wi-Fi Component Operating System

Windows

### Wi-Fi Component Firmware

Windows11

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz  
160 MHz Channel Width in 5 GHz

### 6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz  
40 MHz Channel Width in 6 GHz  
80 MHz Channel Width in 6 GHz  
160 MHz Channel Width in 6 GHz  
320 MHz channel width in 6 GHz

### Protected Management Frames

### Spectrum & Regulatory

### Spectrum & Regulatory (continued)

802.11h

### WMM®

### WMM®-Power Save

Unschedule auto PS

### WPA2™-Enterprise 2018-04

EAP methods  
EAP TLS  
PEAPv0

### WPA2™-Personal 2021-01

### WPA3™-Enterprise 2022-12

EAP methods  
EAP TLS  
PEAPv0



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA126059



Role: Station

Page 4 of 5

## WPA3™-Enterprise 2022-12 (continued)

192-bit security  
Server Certificate Validation

## WPA3™-Personal 2023-12

AKM 24  
Beacon Protection

## Wi-Fi Agile Multiband™

## Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU  
Beamforming sounding  
BSRP Trigger frame  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
DL MU-MIMO  
DL MU PPDU multi-tone  
LDPC Tx  
LDPC Rx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
MU-RTS Trigger frame  
Operating mode subfield in A-Control field  
Operating mode indication  
SU beamformee  
SU-MIMO  
UL OFDMA  
UL TB PPDU multi-tone  
Wi-Fi 6E

## Wi-Fi CERTIFIED 6® (continued)

Multiple M-BSSID

## Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping  
A-MPDU with A-MSDU  
Beamforming sounding  
BSS critical update  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
Compressed Block Ack Rx (buffer size 512)  
Compressed Block Ack Tx (buffer size 512)  
DL MU-MIMO  
Dynamic MU SMPS  
EPCS (Emergency Preparedness Communications Services) priority access  
LDPC Rx  
LDPC Tx  
Load Balancing in MLO  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MCS 12-13 Rx  
MCS 12-13 Tx  
Multi-link reconfiguration – AP removal  
Multi-link reconfiguration – AP restart  
Multi-RU  
Operating mode indication  
    Operating mode indication for 320 MHz  
Static puncturing  
STR (Simultaneous Transmit and Receive)  
SU-MIMO  
Triggered uplink access optimization  
UL MU-MIMO



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA126059



Role: Station

Page 5 of 5

## Wi-Fi CERTIFIED 7™ (continued)

UL OFDMA

## Wi-Fi Protected Setup™ (continued)

Pushbutton

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support  
RTS with BW Signaling  
A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
MCS 8-9 Rx  
Short Guard Interval  
LDPC Tx  
SU beamformee

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

A-MPDU Tx  
HT Duplicate Mode  
OBSS on Extension Channel  
Short Guard Interval

## Wi-Fi Direct®

## Wi-Fi Enhanced Open™ 2023-12

## Wi-Fi Protected Setup™

PIN