



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA131563**

## Product Info

<b>Date of Certification</b>	June 11, 2024
<b>Company</b>	Zebra Technologies
<b>Product Name</b>	WT5400
<b>Product Model Variant</b>	2024-06-11
<b>Model Number</b>	WT5400
<b>Category</b>	Phones
<b>Sub-category</b>	Smartphone

## Summary of Certifications

<b>CLASSIFICATION</b>	<b>CERTIFICATION</b>
<b>Access</b>	Passpoint® Release 3
<b>Applications &amp; Services</b>	Voice-Enterprise
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2021-01
<b>Optimization</b>	WMM® WMM®-Admission Control WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi Optimized Connectivity™ 2020 Wi-Fi QoS Management™
<b>Security</b>	Protected Management Frames



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA131563



## Summary of Certifications (continued)

Page 2 of 5

CLASSIFICATION	CERTIFICATION
Security	WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2022-06
Spectrum & Regulatory Features	Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA131563



Role: Station

Page 3 of 5

## Wi-Fi Components

### Wi-Fi Component Operating System

Android 13

### Wi-Fi Component Firmware

1.1.5.0.416.1

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

### 6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

160 MHz Channel Width in 6 GHz

### Passpoint® Release 3

ANQP-element for OSU provider selection

Display and input method

Display of HS2.0 indication

### Passpoint® Release 3 (continued)

Fast Transition OTA on WPA2-Enterprise

NAI Home Realm Query element

Network Information in network selection

Operating Class Indication

Roaming Consortium Selection

SIM credentials

Terms and Conditions

Private and secure terms and conditions

USIM Credentials

Venue Information

Private and secure Venue Information

### Protected Management Frames

### Spectrum & Regulatory

802.11d

802.11h

### Voice-Enterprise

### WMM®



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA131563



Role: Station

Page 4 of 5

## WMM®-Admission Control

## WMM®-Power Save

Legacy Power Save  
Unschedule auto PS

## WPA2™-Enterprise 2018-04

EAP methods  
EAP TLS  
EAP TTLS  
PEAPv0  
PEAPv1

## WPA2™-Personal 2021-01

## WPA3™-Enterprise 2022-12

EAP methods  
EAP TLS  
EAP TTLS  
PEAPv0  
PEAPv1  
192-bit security  
192-bit security RSA 3K with the  
TLS\_ECDHE\_RSA\_WITH\_AES\_256\_GCM\_SHA384  
cipher suite  
Fast Transition OTA on WPA3-Enterprise  
Fast Transition OTA on WPA3-Enterprise transition mode  
Fast Transition OTDS on WPA3-Enterprise  
Server Certificate Validation

## WPA3™-Personal 2022-06

Fast Transition OTA on WPA3-Personal  
Fast Transition OTA on WPA3-Personal transition mode

## WPA3™-Personal 2022-06 (continued)

Fast Transition OTDS on WPA3-Personal  
SAE-Public Key  
Operating Channel Validation

## Wi-Fi Agile Multiband™

ANQP  
ANQP-based Neighbor report  
Beacon Report Measurement Active Mode  
Beacon Report Measurement Passive Mode  
BTM Query  
Cellular Data capable  
Fast Transition OTA on WPA2-Personal  
Fast Transition OTA on WPA2-Enterprise

## Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU  
Beamforming sounding  
BSRP Trigger frame  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
DL MU-MIMO  
DL MU PPDU multi-tone  
HE NDP  
LDPC Tx  
LDPC Rx  
Individual Target Wake Time  
MCS 10-11 Rx  
MCS 10-11 Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
MU-RTS Trigger frame



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA131563



Role: Station

Page 5 of 5

## Wi-Fi CERTIFIED 6® Release 2 (continued)

Operating mode control field  
Operating mode subfield in A-Control field  
Operating mode indication  
SU beamformee  
SU-MIMO  
UL OFDMA  
UL TB PPDU multi-tone  
Wi-Fi 6E  
    Multiple M-BSSID  
Wi-Fi 6 Release 2 features  
    UL MU-MIMO  
    UL MU Control  
    Target Wake Time information frames  
    Broadcast Target Wake Time  
    M-BSSID control frames

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support  
RTS with BW Signaling  
A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
LDPC Tx  
SU beamformee

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

A-MPDU Tx  
OBSS on Extension Channel  
Short Guard Interval  
STBC

## Wi-Fi Enhanced Open™ 2021-01

## Wi-Fi Optimized Connectivity™ 2020

Active Scan  
Fast Transition OTA on WPA2-Enterprise  
Pushbutton

## Wi-Fi QoS Management™

Default DSCP to UP mapping  
DSCP QoS Map  
DSCP Policy  
Mirrored Stream Classification Service  
Stream Classification Service